

State of Hawaii

Community Health Needs Assessment Appendix

— *November 2015* —



Table of Contents

| Appendix A. Quantitative Data | A -1 |
|--------------------------------------|-------------|
| Methodology | |
| Sources | |
| Data | A-3 |
| Appendix B. Key Informant Interviews | B-1 |
| Appendix C. Community Resources | |

Appendix A. Quantitative Data

Secondary Data Scoring

Each indicator from Hawaii Health Matters, as well as the preventable hospitalization rates provided by HHIC, were assessed for Hawaii using up to four comparisons as possible. Each one is scored from 0-3 depending on how the Hawaii value compares to the relevant benchmarks as described below.

Comparison to Distribution of State Values

A distribution is created by taking all state values, ordering them from low to high, and dividing them into four equally sized groups based on their order. The comparison score is determined by which of these four groups (quartiles) Hawaii falls in.



Comparison to U.S. value

For a comparison to the U.S. value, the scoring depends on whether Hawaii has a better or worse value, and the percent difference between the two values.

Comparison to Healthy People 2020 Target

For a comparison to a Healthy People 2020 target, the scoring depends on whether the target is met or unmet, and the percent difference between the indicator value and the target value.

Comparison to Trend

The Mann-Kendall statistical test for trend is used to assess whether the indicator value is increasing over time or decreasing over time, and whether the trend is statistically significant.

The trend comparison uses the four most recent comparable values for the state, and statistical significance is determined at the 90% confidence level. For each indicator with values available for four time periods, scoring was determined by direction of the trend and statistical significance.

Missing Values

Indicator scores are calculated using the comparison scores, availability of which depends on the data source. All missing comparisons are substituted with a neutral score for the purposes of calculating the indicator's weighted average.





Indicator and Topic Scores

Indicator scores are calculated by averaging all comparison scores. Topic scores are calculated as an average of all relevant indicator scores, and indicators may be included in multiple topics as appropriate.

Secondary Data Sources

| Key | Source |
|-----|--|
| 1 | Alcohol-Related Disease Impact |
| 2 | American Community Survey |
| 3 | Area Health Resources Files |
| 4 | BEACH Program, Environmental Protection Agency |
| 5 | Behavioral Risk Factor Surveillance System |
| 6 | Breastfeeding Report Card |
| 7 | CDC Diabetes Data & Trends |
| 8 | Centers for Medicare & Medicaid Services |
| 9 | Common Core of Data |
| 10 | County Health Rankings |
| 11 | Current Population Survey |
| 12 | Fatality Analysis Reporting System |
| 13 | Feeding America |
| 14 | Food Security Supplement to the Current Population Survey |
| 15 | Hawai'i State Department of Health |
| 16 | Hawaii Child Restraint Use Survey |
| 17 | Hawaii Health Information Corporation |
| 18 | Hawaii Health Survey |
| 19 | Hawaii Helmet Use Survey |
| 20 | Hawaii State Department of Education |
| 21 | Hawaii State Department of Health |
| 22 | Hawaii State Department of Health, Hawaii Birth Defects Program |
| 23 | Hawaii State Department of Health, State Laboratories Division |
| 24 | Hawaii State Department of Health, State Laboratories Division, Air Surveillance and |
| 25 | Analysis Hawaii State Department of Health, STD/AIDS Prevention Branch |
| 26 | Hawaii State Department of Health, Tuberculosis Control Program |
| 27 | Hawaii State Department of Health, Vital Statistics |
| 28 | Hawaii State Department of Human Services |
| 29 | Hawaii State Department of Human Services, SNAP Program |
| 30 | Hawaii State Department of Transportation |
| 31 | Healthy Hawaii Initiative Mediators Survey |
| 32 | Institute for Health Metrics and Evaluation |
| 33 | National Assessment of Educational Progress |
| 34 | National Cancer Institute |





| 35 | National Center for Education Statistics |
|----|--|
| 36 | National Immunization Survey |
| 37 | National Occupant Protection Use Survey |
| 38 | National Survey of Children with Special Health Care Needs |
| 39 | National Survey of Children's Health |
| 40 | National Survey on Drug Use and Health |
| 41 | Natural Resources Defense Council |
| 42 | Pregnancy Risk Assessment Monitoring System |
| 43 | School Health Policies and Practices Study |
| 44 | School Health Profiles Survey |
| 45 | State Medicaid Coverage Survey for Tobacco-Dependence Treatments |
| 46 | State Synar Enforcement Reporting |
| 47 | State Tobacco Activities Tracking & Evaluation System |
| 48 | Tobacco Use Supplement to the Current Population Survey |
| 49 | U.S. Bureau of Labor Statistics |
| 50 | U.S. Census - County Business Patterns |
| 51 | U.S. Census Bureau |
| 52 | U.S. Department of Agriculture - Census of Agriculture |
| 53 | U.S. Environmental Protection Agency |
| 54 | Uniform Crime Reports |
| 55 | Uniform Data System (UDS) |
| 56 | United States Renal Data System |
| 57 | Youth Risk Behavior Surveillance System |
| 58 | Youth Tobacco Survey |

Data

The following tables present the data used in the quantitative data analysis. The first table on the next page presents topic scores, with higher scores indicating higher need. The tables following the topic scoring contain a comprehensive list of the indicators that comprise each topic. For individual indicators, values for specific race/ethnic groups are presented if they were poorer than the overall indicator value, and if the indicator had a high index of disparity. To identify the source for each indicator, please consult the source key table in the previous section.





STATE OF HAWAII

Data Scoring Appendix: Topic Scores

| Health or Quality of Life Topic | Secondary Data Score |
|-------------------------------------|-------------------------|
| Other Chronic Diseases | 1.63 |
| Mental Health & Mental Disorders | 1.60 |
| Immunizations & Infectious Diseases | 1.58 |
| Environmental & Occupational Health | 1.54 |
| Social Environment | 1.53 |
| Education | 1.52 |
| Economy | 1.50 |
| Wellness & Lifestyle | 1.50 |
| Diabetes | 1.50 |
| Respiratory Diseases | 1.48 |
| Access to Health Services | 1.47 |
| Teen & Adolescent Health | 1.45 |
| Substance Abuse | 1.45 |
| Heart Disease & Stroke | 1.41 |
| Family Planning | 1.40 |
| Environment | 1.40 |
| Children's Health | 1.39 |
| Older Adults & Aging | 1.39 |
| Public Safety | 1.37 |
| Exercise, Nutrition, & Weight | 1.35 |
| Women's Health | 1.35 |
| Disabilities | 1.28 |
| Cancer | 1.23 |
| Oral Health | 1.23 |
| Prevention & Safety | 1.15 |
| Maternal, Fetal & Infant Health | 1.14 |
| Other Conditions | 1.13 |
| Mortality Data | 1.13 |
| Transportation | 1.02 |
| Men's Health | 0.82 |





STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|--------|-------------|------------------------------|-------|---|
| ACCESS TO HEALTH SERVICES | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Continuity of Health Care Among Youth with Special Health Care Needs | 38 | 37.3 | 45.3 | 40 | 2009-2010 | percent | 2.00 | |
| Non-Physician Primary Care Provider Rate | 10 | 39 | | | 2013 | providers/100,000 population | 1.88 | |
| Teens Who Had a Physical in the Past Year | 57 | 62.2 | 75.6 | | 2013 | percent | 1.88 | |
| Young Teens Who Had a Physical in the Past Year | 57 | 46 | 75.6 | | 2013 | percent | 1.88 | |
| Preventive Services for Older Men | 5 | 40.5 | 44.6 | 41.8 | 2013 | percent | 1.75 | |
| Preventive Services for Older Women | 5 | 40.2 | 46.8 | 39.2 | 2013 | percent | 1.75 | |
| Routine Checkup in the Past Year | 5 | 67.7 | | 68.2 | 2013 | percent | 1.63 | |
| Adults who Visited a Dentist | 5 | 70.4 | | 67.2 | 2012 | percent | 1.50 | |
| Adults without Health Insurance | 5 | 10 | | 20 | 2013 | percent | 1.25 | NH (15.1) PI (26.9) |
| No Doctor Visit due to Cost | 5 | 8.6 | | 15.3 | 2013 | percent | 1.13 | NH (13.5) PI (19.6) FIL (12.1) Other (14.1) |
| Number of Practicing Nurse Practitioners | 3 | 30.4 | | | 2013 | per 100,000 population | 1.13 | , |
| Number of Practicing Physician Assistants | 3 | 18.8 | | | 2013 | per 100,000 population | 1.13 | |
| Primary Care Provider Rate | 10 | 85 | | | 2011 | providers/100,000 population | 1.13 | |
| Adults with a Usual Source of Health Care | 5 | 85.1 | 83.9 | 76.6 | 2013 | percent | 1.00 | |
| Persons with Health Insurance | 18 | 93.7 | 100 | 83.1 | 2012 | percent | 1.00 | |
| | | | | | | | | |
| CANCER | | | | | | | | |
| Liver and Bile Duct Cancer Incidence Rate | 34 | 10.6 | | 7.1 | 2007-2011 | cases/100,000 population | 2.38 | |
| Oropharyngeal Cancer Death Rate | 27 | 2.6 | 2.3 | 2.5 | 2011-2013 | deaths/100,000 population | 2.13 | |
| Breast Cancer Incidence Rate | 34 | 126 | | 122.7 | 2007-2011 | cases/100,000 females | 1.88 | |
| Pap Test History | 5 | 79.1 | 93 | 78 | 2013 | percent | 1.75 | |
| Cervical Cancer Death Rate | 27 | 2.3 | 2.2 | 2.3 | 2011-2013 | deaths/100,000 females | 1.63 | NHPI (11.2) |
| Colorectal Cancer Incidence Rate | 34 | 46.4 | | 43.3 | 2007-2011 | cases/100,000 population | 1.63 | |
| Cancer: Medicare Population | 8 | 7.5 | | 7.9 | 2012 | percent | 1.50 | |
| Colon Cancer Screening | 5 | 66.4 | 70.5 | 65.1 | 2013 | percent | 1.50 | |
| Five-Year Cancer Survivorship | 5 | 66.7 | 71.7 | 66.3 | 2012 | percent | 1.50 | |
| Teens Who Use Sunscreen | 57 | 10.7 | 11.2 | 10.1 | 2013 | percent | 1.50 | |
| Colon Cancer Death Rate | 27 | 14 | 14.5 | 14.6 | 2013 | deaths/100,000 population | 1.38 | |
| Melanoma Incidence Rate | 34 | 20 | | 19.7 | 2007-2011 | cases/100,000 population | 1.38 | White (62.8) |
| Blood Stool Test | 5 | 22.3 | | 14.2 | 2013 | percent | 1.25 | |
| Mammogram History | 5 | 80.4 | | 74 | 2013 | percent | 1.25 | |
| Cervical Cancer Incidence Rate | 34 | 7.3 | | 7.8 | 2007-2011 | cases/100,000 females | 1.13 | |
| HPV Vaccination | 5 | 11.9 | | 10.6 | 2013 | percent | 1.13 | |
| Melanoma Cancer Prevalence | 5 | 4.7 | | 6 | 2013 | percent | 1.13 | White (11.3) |
| PSA Test- Discussed With Doctor | 5 | 19.7 | 15.9 | | 2013 | percent | 1.13 | |
| Breast Cancer Death Rate | 27 | 15.1 | 20.7 | 20.8 | 2013 | deaths/100,000 females | 0.88 | NHPI (65.9) |
| Melanoma Cancer Death Rate | 27 | 1.5 | 2.4 | 2.7 | 2009-2013 | deaths/100,000 population | 0.88 | White (3.9) NHPI (3.3) |
| Sunburns Among Adults | 5 | 19 | 33.8 | 37.5 | 2012 | percent | 0.75 | White (28.9) AIAK (42.1) NH (21.4) PI (20) Other (25.3) |
| Cancer Death Rate | 27 | 132 | 161.4 | 163.2 | 2013 | deaths/100,000 population | 0.63 | · · · · · · · · · · · · · · · · · · · |
| Lung Cancer Death Rate | 27 | 31.8 | 45.5 | 43.4 | 2013 | deaths/100,000 population | 0.63 | |
| Lung and Bronchus Cancer Incidence Rate | 34 | 49.1 | | 64.9 | 2007-2011 | cases/100,000 population | 0.38 | |
| Prostate Cancer Death Rate | 27 | 12 | 21.8 | 19.2 | 2013 | deaths/100,000 males | 0.38 | White (12.8) NHPI (34.6) |
| Prostate Cancer Incidence Rate | 34 | 113.9 | - | 142.3 | 2007-2011 | cases/100,000 males | 0.38 | , |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Tonic

| Data Scoring Appendix: Indicator Scores by Topic | | | | | Managemana | | | |
|--|--------|-----------------|--------|--------|-----------------------|---|-------|--|
| CHILDREN'S HEALTH | Source | Hawaii State | HP2020 | Nation | Measurement Period | Units | Score | High Race Disparity* |
| Child Food Insecurity Rate | 13 | 23.9 | | 21.6 | 2012 | percent | 2.00 | |
| Children with Current Asthma | 5 | 12.8 | | 9.2 | 2013 | percent | 2.00 | |
| ED Visits for Asthma Among Children <5 yrs old | 17 | 119.4 | 95.7 | | 2011 | per 10,000 children under 5 | 1.88 | |
| Food Insecurity Among Children | 14 | 1.4 | 0.2 | | 2012 | percent | 1.88 | Mult (3.8) |
| Schools with Gardens | 20 | 77.1 | | 87 | 2011-2012 | percent | 1.88 | |
| Hospitalizations for Asthma Among Children <5 yrs old | 17 | 19.7 | 18.2 | | 2012 | per 10,000 children under 5 | 1.63 | |
| Deaths Among Children Aged 0-4 Years | 27 | 148.7 | | 139.1 | 2013 | deaths/100,000 population 0-4 | 1.50 | Black (535.4) Asian (174.4) NHPI (607.7) |
| Child Safety Seat Usage 0-12 Months | 16 | 93.8 | 95 | 90 | 2010 | percent | 1.38 | |
| Children Aged 6 to 11 with More Than 1 Hour of TV/Screen Time | 39 | 47.2 | | 49.4 | 2011-2012 | percent | 1.38 | |
| Children Under 5 Years with More Than 1 Hour of TV/Screen Time | 39 | 49 | | 49.2 | 2011-2012 | percent | 1.38 | |
| Blindness and Visual Impairment in Children | 38 | 26 | 25.4 | 42 | 2009-2010 | per 1,000 persons 17 years and under | 1.25 | |
| Mental Health Treatment for Children | 38 | 83.7 | 75.8 | 79.7 | 2009-2010 | percent | 1.00 | |
| Children and Adolescents who are Obese | 39 | 11.5 | 14.5 | 15.7 | 2011-2012 | percent | 0.75 | |
| Deaths Among Children Aged 5-9 Years | 27 | 9.8 | 12.4 | 11.7 | 2011-2013 | deaths/100,000 population 5-9 | 0.63 | White (13.4) NHPI (34.1) |
| Child Safety Seat Usage 1-3 yrs | 16 | 90.1 | 79 | 73 | 2010 | percent | 0.38 | |
| DIABETES | | | | | | | | |
| Kidney Failure due to Diabetes | 56 | 262.6 | 150.6 | 155.7 | 2011 | per 1,000,000 population | 2.25 | |
| Diabetics with an A1c Value Greater than 9% | 55 | 40.1 | 16.1 | 31.1 | 2013 | percent | 2.13 | |
| Diabetics who Receive Formal Diabetes Education | 5 | 46.9 | 62.5 | | 2013 | percent | 1.88 | |
| Diabetics who Test Their Blood Glucose Daily | 5 | 50.7 | 70.4 | | 2013 | percent | 1.88 | |
| Rate of Lower-Extremity Amputation | 17 | 17.43 | | 15.1 | 2011 | hospitalizations/100,000 | 1.88 | |
| Diabetes: Medicare Population | 8 | 27.2 | | 27 | 2012 | percent | 1.75 | |
| Diabetics who have a Biannual HbA1c Check | 5 | 67.7 | 71.1 | | 2013 | percent | 1.63 | |
| Diabetics Who Have Their Feet Checked | 5 | 71.6 | 74.8 | | 2013 | percent | 1.63 | |
| Adults with Diabetes | 5 | 8.4 | | 9.7 | 2013 | percent | 1.25 | |
| Diabetes Long-Term Complication | 17 | 82.79 | | 111.79 | 2011 | hospitalizations/100,000 | 1.13 | |
| Diabetes Short-Term Complication | 17 | 43.06 | | 59.76 | 2011 | hospitalizations/100,000 | 1.13 | |
| Diabetics who have an Annual Eye Exam | 5 | 77.9 | 58.7 | | 2013 | percent | 1.13 | |
| Uncontrolled Diabetes | 17 | 6.77 | | 18.08 | 2011 | hospitalizations/100,000 | 1.13 | |
| New Cases of Diabetes | 7 | 5.9 | 7.2 | | 2010 | new cases/1,000 population | 1.00 | |
| Diabetes Death Rate | 27 | 15.4 | 66.6 | 21.2 | 2013 | deaths/100,000 population | 0.63 | NHPI (82) |
| DISABILITIES Disability | | 40.4 | | 40.0 | 0010 | | 4.00 | |
| Adults with a Disability | 5 | 18.4 | 00.7 | 10.8 | 2013 | percent | 1.88 | |
| Employment Among Persons with Disabilities | 11 | 29 | 32.7 | 40 | 2012 | percent | 1.88 | |
| Activity Limitations due to Arthritis | 5 | 37.8 | 35.5 | 43 | 2013 | percent | 1.25 | |
| Blindness and Visual Impairment in Children | 38 | 26 | 25.4 | 42 | 2009-2010 | per 1,000 persons 17 years and under | 1.25 | |
| Activity Limitations due to Health | 5 | 15.2 | | 19.7 | 2013 | percent | 1.13 | |
| Adults Who Use Special Equipment for Daily Living | 5 | 6 | | 8.1 | 2013 | percent | 1.13 | |
| Adults with a Cognitive Disability | 5 | 7.8 | | 10.1 | 2013 | percent | 1.13 | |
| Adults with a Self-Care Disability | 5 | 2.1 | | 3.4 | 2013 | percent | 1.13 | |
| Adults with a Vision Disability | 5 | 3.8 | | 4.4 | 2013 | percent | 1.13 | |
| Adults with an Ambulatory Disability | 5 | 10.1 | | 13.0 | 2013 | percent | 1.13 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Tonic

| Data Scoring Appendix: Indicator Scores by Topic | | | | | | | | |
|--|--------|-----------------|--------|--------|-----------------------|------------------|-------|---|
| DISABILITIES (CONTINUED) | Source | Hawaii State | HP2020 | Nation | Measurement Period | Units | Score | High Race Disparity* |
| Adults with an Independent Living Disability | 5 | 5.4 | | 6.4 | 2013 | percent | 1.13 | |
| Unemployment Among Persons with Disabilities | 11 | 10.7 | 14.0 | | 2012 | percent | 1.13 | |
| ECONOMY | | | | | | | | |
| Homeownership | 2 | 49.7 | | 56.9 | 2009-2013 | percent | 2.63 | |
| Households with Cash Public Assistance Income | 2 | 3.8 | | 2.8 | 2009-2013 | percent | 2.63 | |
| Renters Spending 30% or More of Household Income on | 2 | 56.3 | | 52.3 | 2009-2013 | | 2.13 | |
| Rent | 2 | 50.5 | | 52.5 | 2009-2013 | percent | 2.13 | |
| Child Food Insecurity Rate | 13 | 23.9 | | 21.6 | 2012 | percent | 2.00 | |
| Employment Among Persons with Disabilities | 11 | 29 | 32.7 | | 2012 | percent | 1.88 | |
| Food Insecurity Among Children | 14 | 1.4 | 0.2 | | 2012 | percent | 1.88 | Mult (3.8) |
| Food Insecurity Among Households | 14 | 19.2 | 6 | | 2012 | percent | 1.88 | NHPI (45.8) Mult (31) |
| Severe Housing Problems | 10 | 27.3 | | | 2006-2010 | percent | 1.88 | |
| Students Eligible for the Free Lunch Program | 35 | 40.1 | | | 2012-2013 | percent | 1.75 | |
| Children Living Below Poverty Level | 2 | 15.4 | | 21.6 | 2009-2013 | percent | 1.13 | AIAK (43.1) NHPI (28.4) Mult (16.9) Other (19.8) Hisp (21.3) |
| Families Living Below Poverty Level | 2 | 7.9 | | 11.3 | 2009-2013 | percent | 1.13 | AIAK (17.3) NHPI (18.4) Mult (11.5) Other (14.5) Hisp (14.5) |
| Income Inequality | 2 | 0.431 | | 0.474 | 2009-2013 | | 1.13 | |
| People Living Below Poverty Level | 2 | 11.2 | | 15.4 | 2009-2013 | percent | 1.13 | AIAK (24.2) NHPI (21.5) Mult (13.7) Other (15.1) Hisp (17.2) |
| Unemployed Workers in Civilian Labor Force | 49 | 4.2 | | | Sep 2014 | percent | 1.13 | |
| Unemployment Among Persons with Disabilities | 11 | 10.7 | 14.0 | | 2012 | percent | 1.13 | |
| Food Insecurity Rate | 13 | 14.2 | | 15.9 | 2012 | percent | 1.00 | |
| Per Capita Income | 2 | 29305 | | 28155 | 2009-2013 | dollars | 0.88 | |
| Median Household Income | 2 | 67402 | | 53046 | 2009-2013 | dollars | 0.63 | |
| People 65+ Living Below Poverty Level | 2 | 7.4 | | 9.4 | 2009-2013 | percent | 0.63 | Asian (7.5) AIAK (31.6) NHPI (10.8) Other (12.8) Hisp (11) |
| EDUCATION | | | | | | | | |
| 4th Grade Reading Skills | 33 | 30 | 36.3 | 35 | 2013 | percent | 2.13 | |
| Student-to-Teacher Ratio | 35 | 16.1 | | | 2012-2013 | students/teacher | 2.00 | |
| 8th Grade Reading Skills | 33 | 28 | 35.6 | 36 | 2013 | percent | 1.88 | |
| Adolescents who Consider School Work to Be Important | 40 | 27.5 | 29 | 30.7 | 2012-2013 | percent | 1.88 | |
| Schools with Gardens | 20 | 77.1 | | 87 | 2011-2012 | percent | 1.88 | |
| School Safety | 39 | 87.5 | 95 | 90.9 | 2011-2012 | percent | 1.75 | |
| 8th Grade Math Skills | 33 | 32 | 37.3 | 35 | 2013 | percent | 1.63 | |
| People 18+ without a High School Degree | 5 | 9.8 | 2.1 | 14.4 | 2013 | percent | 1.63 | NH (14.7) PI (19.5) FIL (15.5) Other (16.6) |
| Students Receiving a Diploma 4 Years After Starting 9th Grade | 9 | 78 | 82.4 | | 2011-2012 | percent | 1.50 | |
| Schools Prohibiting Harassment Based on Sexual Orientation | 44 | 92.7 | 92.2 | 87.4 | 2012 | percent | 1.25 | |
| Infants Born to Mothers with <12 Yrs Education | 27 | 6.6 | | 17 | 2013 | percent | 1.00 | NH (10.4) PI (19.2) Other (9.8) |
| Parents who Read to Their Children | 39 | 53.6 | 52.6 | 47.9 | 2011-2012 | percent | 1.00 | |
| 4th Grade Math Skills | 33 | 46 | 43 | 42 | 2013 | percent | 0.88 | |
| | | | | | | | | |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Magauramant | | | |
|--|----------|-----------------|--------|---------|-----------------------|--------------------------------------|-------|--------------------------------|
| ENVIRONMENT | Source | Hawaii State | HP2020 | Nation | Measurement Period | Units | Score | High Race Disparity* |
| Days with Unsatisfactory Air Quality | 24 | 254 | 227 | | 2013 | days | 2.00 | |
| Severe Housing Problems | 10 | 27.3 | | | 2006-2010 | percent | 1.88 | |
| Teens Exposed to Secondhand Smoke | 58 | 85.9 | 41 | | 2013 | percent | 1.88 | |
| Young Teens Exposed to Secondhand Smoke | 58 | 92.2 | 41 | | 2013 | percent | 1.88 | |
| Food Environment Index | 10 | 8 | | | 2014 | | 1.38 | |
| Safe Beaches for Swimming | 4 | 98.6 | 96 | 95.5 | 2012 | percent | 1.38 | |
| Beach Water Quality | 41 | 7 | | | 2013 | percent | 1.25 | |
| PBT Released | 53 | 135895 | | | 2013 | pounds | 1.25 | |
| Recognized Carcinogens Released into Air | 53 | 51796 | | | 2013 | pounds | 1.25 | |
| Access to Exercise Opportunities | 10 | 87.6 | | | 2014 | percent | 1.13 | |
| Adults Exposed to Secondhand Smoke | 5 | 13.8 | 33.8 | | 2012 | percent | 1.13 | NH (27.5) PI (23.2) FIL (17.4) |
| Drinking Water Violations | 10 | 0.1 | | | FY 2012-13 | percent | 1.13 | |
| Liquor Store Density | 50 | 3.8 | | 10.3 | 2012 | stores/100,000 population | 0.63 | |
| ENVIRONMENTAL & OCCUPATIONAL HEALTH | | | | | | | | |
| Asthma Death Rate 35-64 Yrs | 27 | 14.3 | 4.9 | 11.4 | 2009-2013 | deaths/1,000,000 population 35-64 | 2.13 | NHPI (75) |
| Asthma Death Rate | 27 | 1.4 | | 1.1 | 2013 | deaths/1,000,000 population | 2.00 | NHPI (6.4) |
| Asthma: Medicare Population | 8 | 5.2 | | 4.9 | 2012 | percent | 2.00 | |
| Children with Current Asthma | 5 | 12.8 | | 9.2 | 2013 | percent | 2.00 | |
| ED Visits for Asthma 65+ | 17 | 30 | 13.7 | | 2011 | per 10,000 people 65 yrs and older | 1.88 | |
| ED Visits for Asthma Among Children <5 yrs old | 17 | 119.4 | 95.7 | | 2011 | per 10,000 children under 5 | 1.88 | |
| Indoor Worksites that Prohibit Smoking | 48 | 69.8 | 100 | | 2010-2011 | percent | 1.88 | |
| Hospitalizations for Asthma Among Children <5 yrs old | 17 | 19.7 | 18.2 | | 2012 | per 10,000 children under 5 | 1.63 | |
| Adults with Asthma | 5 | 9.4 | | 9 | 2013 | percent | 1.50 | |
| Smoke-Free Homes | 5 | 80.6 | 87 | | 2012 | percent | 1.50 | |
| Safe Beaches for Swimming | 4 | 98.6 | 96 | 95.5 | 2012 | percent | 1.38 | |
| Asthma Death Rate <35 Yrs | 27 | 2.9 | | 3.5 | 2004-2013 | deaths/1,000,000 population <35 | 1.25 | |
| Adults Exposed to Secondhand Smoke | 5 | 13.8 | 33.8 | | 2012 | percent | 1.13 | NH (27.5) PI (23.2) FIL (17.4) |
| Hospitalizations for Asthma 65+ | 17 | 18.7 | 20.1 | 25.5 | 2012 | per 10,000 people 65 yrs and older | 1.00 | |
| ED Visits for Asthma 5-64 yrs | 17 | 44.6 | 49.6 | 61.8 | 2011 | per 10,000 people 5-64 yrs old | 0.75 | |
| Hospitalizations for Asthma 5-64 yrs | 17 | 5.8 | 8.7 | 10.5 | 2012 | per 10,000 people 5-64 yrs old | 0.75 | |
| EXERCISE, NUTRITION, & WEIGHT | | | | | | | | |
| Teens Who Attend Daily Physical Education | 57 | 7.3 | 36.6 | 29.4 | 2013 | percent | 2.38 | |
| Young Teens with 2 Hours or Less of Computer and Video Game Time | 57 | 58.8 | 100 | | 2013 | percent | 2.25 | |
| Teens who Meet Aerobic Physical Activity Guidelines | 57 | 22 | 31.6 | 27.1 | 2013 | percent | 2.13 | |
| Child Food Insecurity Rate | 13 | 23.9 | 01.0 | 21.6 | 2012 | percent | 2.00 | |
| Teen Fruit and Vegetable Consumption | 57 | 15.6 | | 22.3 | 2013 | percent | 2.00 | |
| Adult Fruit and Vegetable Consumption | 5 | 18.1 | | | 2013 | percent | 1.88 | |
| Adults who Drink Non-Diet Soda or Pop at Least Once Per | 31 | 21.5 | | 15 | 2009 | percent | 1.88 | |
| Day Food Inacqueity Among Children | 1.4 | 1.4 | 0.2 | | 2012 | | 1 00 | Marita (2, 0) |
| Food Insecurity Among Children | 14 | 1.4 | | | 2012 2012 | percent | 1.88 | Mult (3.8) |
| Food Insecurity Among Households | 14 20 | 19.2 | 6 | 07 | 2012 | percent | 1.88 | NHPI (45.8) Mult (31) |
| Schools with Gardens | | 77.1 0 | | 87 2 | | percent | 1.88 | |
| Statewide Policies that Increase Access to Healthy Food | 21 57 | | | 51.7 | 2012 2013 | policies | 1.88 | |
| Teens Who Meet Muscle-Strengthening Guidelines | 5/ | 46.3 | | 51.7 | 2013 | percent | 1.88 | |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|---|--------|--------|--------|--------|-------------|---------------------------------------|-------|---|
| EXERCISE, NUTRITION, & WEIGHT (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Young Teens with More Than 3 Hours of Computer/Video Game Time | 57 | 41.2 | | | 2013 | percent | 1.88 | White (11.72) NH (8.1) PI (14.52) Other (7.39) |
| Young Teens with 2 Hours or Less of TV Time | 57 | 66.8 | 86.8 | | 2013 | percent | 1.75 | |
| Adults with Low Vegetable Consumption | 5 | 23.1 | | 22.9 | 2013 | percent | 1.63 | |
| Adults who Participate in Physical Activity Outside of Work | 5 | 77.9 | | 74.7 | 2013 | percent | 1.50 | |
| Adults with Low Fruit Consumption | 5 | 39.2 | | 39.2 | 2013 | percent | 1.38 | |
| Children Aged 12 to 17 with a TV in Their Bedroom | 39 | 60 | | 64.5 | 2011-2012 | percent | 1.38 | |
| Children Aged 6 to 11 with a TV in Their Bedroom | 39 | 47.1 | | 47.1 | 2011-2012 | percent | 1.38 | |
| Children Aged 6 to 11 with More Than 1 Hour of TV/Screen Time | 39 | 47.2 | | 49.4 | 2011-2012 | percent | 1.38 | |
| Children Under 5 Years with More Than 1 Hour of | 39 | 49 | | 49.2 | 2011-2012 | percent | 1.38 | |
| TV/Screen Time | 40 | | | | 0044 | · | 4.00 | |
| Food Environment Index | 10 | 8 | | | 2014 | | 1.38 | |
| Schools Requiring Education on Dietary Behaviors and Nutrition | 44 | 94.1 | 92.7 | | 2012 | percent | 1.38 | |
| Schools Requiring Education on Physical Activity and Fitness | 44 | 95.2 | 87.1 | | 2012 | percent | 1.38 | |
| Teens with a Healthy Body Weight | 57 | 71.8 | | | 2013 | percent | 1.38 | |
| Young Teens who Engage in Regular Physical Activity | 57 | 52.6 | | | 2013 | percent | 1.38 | |
| Young Teens who Meet Aerobic Physical Activity Guidelines | 57 | 32 | | | 2013 | percent | 1.38 | |
| Young Teens with More Than 3 Hours of TV Time | 57 | 33.2 | | | 2013 | percent | 1.38 | |
| Adults Engaging in Regular Physical Activity | 5 | 53.2 | | 51 | 2009 | percent | 1.25 | |
| Adults who are Overweight | 5 | 33.6 | | 35.4 | 2013 | percent | 1.25 | |
| Teens who Engage in Regular Physical Activity | 57 | 40.2 | | 41.9 | 2013 | percent | 1.25 | |
| Access to Exercise Opportunities | 10 | 87.6 | | 41.5 | 2013 | percent | 1.13 | |
| Food Insecurity Rate | 13 | 14.2 | | 15.9 | 2014 | percent | 1.13 | |
| | 57 | 14.2 | | 16.6 | 2012 | · · · · · · · · · · · · · · · · · · · | 1.00 | |
| Teens who are Overweight | | | 20.0 | | 2013 | percent | 0.88 | |
| Adults Not Engaging in Physical Activity | 5 | 22.1 | 32.6 | 25.3 | | percent | | NII (40 00) DI (04 40) EII (40 00) |
| Teens who are Obese | 57 | 13.4 | 16.1 | 13.7 | 2013 | percent | 0.88 | NH (19.26) PI (31.18) FIL (13.83) |
| Adults who Meet Aerobic and Strengthening Activity Guidelines | 5 | 26.5 | 20.1 | 20.5 | 2013 | percent | 0.75 | |
| Adults who Meet Aerobic Physical Activity Guidelines | 5 | 60.2 | 47.9 | 50.8 | 2013 | percent | 0.75 | |
| Adults who Meet High Aerobic Physical Activity Guidelines | 5 | 39.5 | 31.3 | 31.6 | 2013 | percent | 0.75 | |
| Adults who Meet Muscle Strengthening Guidelines | 5 | 35 | 24.1 | 29.8 | 2013 | percent | 0.75 | |
| Children and Adolescents who are Obese | 39 | 11.5 | 14.5 | 15.7 | 2011-2012 | percent | 0.75 | |
| Pre-Teens who are Obese | 39 | 13.2 | 15.7 | 19.1 | 2011-2012 | percent | 0.75 | |
| Teens who Drink Non-Diet Soda or Pop at Least Once Per Day | 57 | 15.8 | | 27 | 2013 | percent | 0.75 | |
| Workers Commuting by Bicycling | 2 | 0.8 | 0.6 | 0.6 | 2011 | percent | 0.75 | |
| Adults who are Obese | 5 | 21.8 | 30.5 | 29.4 | 2013 | percent | 0.63 | Black (31) NH (39) PI (57.4) Other (30.2) |
| Adults with a Healthy Body Weight | 5 | 42.3 | 33.9 | 33.4 | 2013 | percent | 0.63 | , , |
| Workers who Walk to Work | 2 | 4.7 | 3.1 | 2.8 | 2009-2013 | percent | 0.25 | |
| FAMILY PLANNING | | | 0.1- | 07.0 | 0045 | | | |
| Condom Use Among Teen Boys | 57 | 53.5 | 81.5 | 65.8 | 2013 | percent | 2.25 | |
| Condom Use Among Teen Girls | 57 | 41.5 | 55.6 | 53.1 | 2013 | percent | 2.25 | |
| Abstain From Sex- Teen Boys | 57 | 66.1 | 79.2 | | 2013 | percent | 1.88 | |
| Abstain From Sex- Teen Girls | 57 | 62.3 | 80.2 | | 2013 | percent | 1.75 | |
| Abstain From Sex- Young Teen Boys | 57 | 90.5 | 92.7 | | 2013 | percent | 1.63 | |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|---|--------|--------|--------|--------|-------------|---|-------|---------------------------------|
| FAMILY PLANNING (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Pregnancies that are Intended | 42 | 54.8 | 56 | | 2011 | percent | 1.63 | |
| Abstain From Sex- Young Teen Girls | 57 | 92.3 | 93.9 | | 2013 | percent | 1.50 | |
| Schools Requiring Education on Pregnancy, HIV, and STD Prevention | 44 | 85.6 | 43.2 | | 2012 | percent | 1.13 | |
| Infants Born to Mothers with <12 Yrs Education | 27 | 6.6 | | 17 | 2013 | percent | 1.00 | NH (10.4) PI (19.2) Other (9.8) |
| Teen Birth Rate | 27 | 25 | | 26.5 | 2013 | births/1,000 women aged 15- 19 years | 1.00 | Black (28.7) NHPI (123.7) |
| Pregnancies Among Females Aged 15-17 Years | 27 | 18 | 36.2 | 30.1 | 2012 | pregnancies/1,000 females aged 15-17 | 0.38 | |
| Pregnancies Among Females Aged 18-19 Years | 27 | 72.1 | 105.9 | 96.2 | 2012 | pregnancies/1,000 females aged 18-19 | 0.38 | |
| HEART DISEASE & STROKE | | | | | | | | |
| Hyperlipidemia: Medicare Population | 8 | 54.0 | | 44.8 | 2012 | percent | 2.25 | |
| Awareness of Early Symptoms of a Heart Attack | 5 | 30.4 | 43.6 | 30.6 | 2009 | percent | 2.00 | |
| Awareness of Early Symptoms of a Stroke | 5 | 41.8 | 59.3 | 43.6 | 2009 | percent | 2.00 | |
| Awareness of Early Symptoms of a Stroke and Importance of Calling 911 | 5 | 37.5 | 56.4 | 38.1 | 2009 | percent | 2.00 | |
| Heart Attack Survivors Referred to Outpatient Rehabilitation | 5 | 19.1 | | 34.7 | 2013 | percent | 1.88 | |
| Stroke Survivors Referred to Outpatient Rehabilitation | 5 | 23.5 | | 30.7 | 2013 | percent | 1.88 | |
| Awareness of Early Symptoms of a Heart Attack and Importance of Calling 911 | 5 | 27.7 | 40.9 | 26.9 | 2009 | percent | 1.75 | |
| Cholesterol Tested in Past 5 Years | 5 | 75.8 | 82.1 | 76.4 | 2013 | percent | 1.75 | |
| Hypertension: Medicare Population | 8 | 55.8 | | 55.5 | 2012 | percent | 1.75 | |
| High Cholesterol Prevalence | 5 | 34.9 | 13.5 | 38.4 | 2013 | percent | 1.63 | |
| Stroke: Medicare Population | 8 | 3.7 | | 3.8 | 2012 | percent | 1.50 | |
| High Blood Pressure Prevalence | 5 | 28.5 | 26.9 | 31.4 | 2013 | percent | 1.38 | |
| Angina Without Procedure | 17 | 16.71 | | 18.22 | 2011 | hospitalizations/100,000 | 1.38 | |
| Awareness of Importance of Calling 911 for Heart Attack or Stroke | 5 | 90 | | 85.9 | 2009 | percent | 1.38 | |
| Stroke Prevalence | 5 | 2.7 | | 2.8 | 2013 | percent | 1.38 | |
| Adults with Hypertension with Controlled Blood Pressure | 55 | 62.8 | 61.2 | 63.6 | 2013 | percent | 1.13 | |
| Coronary Heart Disease Prevalence | 5 | 2.7 | | 4.1 | 2013 | percent | 1.13 | |
| Heart Attack Prevalence | 5 | 3.2 | | 4.3 | 2013 | percent | 1.13 | |
| Heart Failure | 17 | 267.43 | | 329.82 | 2011 | hospitalizations/100,000 | 1.13 | |
| Hypertension | 17 | 26.74 | | 56.98 | 2011 | hospitalizations/100,000 | 1.13 | |
| Stroke Death Rate | 27 | 33.6 | 34.8 | 36.2 | 2013 | deaths/100,000 population | 1.13 | NHPI (92.3) |
| Hypertension Medication Compliance | 5 | 78.8 | 69.5 | 77.3 | 2013 | percent | 1.00 | |
| Atrial Fibrillation: Medicare Population | 8 | 5.7 | | 7.8 | 2012 | percent | 0.75 | |
| Heart Failure: Medicare Population | 8 | 9.8 | | 14.6 | 2012 | percent | 0.75 | |
| Ischemic Heart Disease: Medicare Population | 8 | 20.5 | | 28.6 | 2012 | percent | 0.75 | |
| Heart Disease Death Rate | 27 | 68.9 | 103.4 | 105.4 | 2013 | deaths/100,000 population | 0.63 | AIAK (259.1) NHPI (252.5) |
| IMMUNIZATIONS & INFECTIOUS DISEASES | | | | | | | | |
| Tuberculosis Incidence Rate | 15 | 8.6 | 11 | 3.2 | 2012 | cases/100,000 population | 2.50 | |
| Condom Use Among Teen Boys | 57 | 53.5 | 81.5 | 65.8 | 2013 | percent | 2.25 | |
| Condom Use Among Teen Girls | 57 | 41.5 | 55.6 | 53.1 | 2013 | percent | 2.25 | |
| HIV Testing Among Young Adults | 5 | 43.3 | 73.6 | 50 | 2013 | percent | 2.25 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|---|--------|--------|---------|------------------|-------------|---------------------------------------|-------|---------------------------------|
| IMMUNIZATIONS & INFECTIOUS DISEASES (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Tuberculosis Among Foreign-Born Persons | 26 | 37.4 | 14 | 17.2 | 2011 | cases/100,000 foreign-born population | 2.25 | |
| Chlamydia Among Females 15-24 Attending Family Planning Clinics | 25 | 8.5 | 6.7 | | 2011 | percent | 1.88 | |
| Pneumonia Vaccination Rate 65+ | 5 | 68.2 | 90 | 69.5 | 2013 | percent | 1.88 | |
| Treatment Completion Among Latent Tuberculosis Patients | 26 | 66.2 | 79 | | 2010 | percent | 1.88 | |
| Acute Hepatitis B Incidence Rate | 15 | 0.5 | | | 2008-2012 | cases/100,000 population | 1.75 | |
| AIDS Diagnosis Rate | 15 | 6.3 | | | 2012 | cases/100,000 population | 1.75 | |
| Chlamydia Among Females | 25 | 649.9 | | 456.7 | 2012 | cases/100,000 females | 1.75 | |
| Chlamydia Incidence Rate | 15 | 455.4 | | 456.7 | 2012 | cases/100,000 population | 1.63 | |
| Influenza Vaccination Rate 65+ | 5 | 69.9 | 90 | 62.8 | 2013 | percent | 1.63 | |
| nfluenza Vaccination Rate 18-64 yrs | 5 | 40.3 | 80 | 33.1 | 2013 | percent | 1.50 | |
| HIV Testing Among Adults | 5 | 36.6 | | 35.2 | 2013 | percent | 1.38 | |
| Treatment Completion Among Tuberculosis Patients | 26 | 95.2 | 93 | | 2010 | percent | 1.38 | |
| Gonorrhea Among Males | 25 | 74.8 | | 105.8 | 2012 | cases/100,000 males | 1.25 | |
| Syphilis Incidence Rate | 15 | 2 | | | 2008-2012 | cases/100,000 population | 1.25 | |
| Bacterial Pneumonia | 17 | 205.1 | | 284.9 | 2011 | hospitalizations/100,000 | 1.13 | |
| HPV Vaccination | 5 | 11.9 | | 10.6 | 2013 | percent | 1.13 | |
| Schools Requiring Education on Pregnancy, HIV, and STD Prevention | 44 | 85.6 | 43.2 | | 2012 | percent | 1.13 | |
| Gonorrhea Among Females | 25 | 43.6 | | 108.7 | 2012 | cases/100,000 females | 1.00 | |
| Syphilis Among Females | 25 | 0.3 | 1.3 | 0.3 | 2012 | cases/100,000 females | 1.00 | |
| Gonorrhea Incidence Rate | 15 | 58.5 | - | 107.5 | 2012 | cases/100,000 population | 0.88 | |
| Syphilis Among Males | 25 | 3 | 6.7 | 9.3 | 2012 | cases/100,000 males | 0.75 | |
| MATERNAL, FETAL & INFANT HEALTH | | | | | | | | |
| Very Early Preterm Births | 27 | 2.3 | 1.8 | 1.9 | 2013 | percent | 2.38 | |
| Infant Mortality Rate | 27 | 6.2 | 6 | 6.1 | 2013 | deaths/1,000 live births | 1.88 | Black (15.8) FIL (7.9) |
| Neonatal Mortality Rate | 27 | 4.4 | 4.1 | 4 | 2013 | deaths/1,000 live births | 1.88 | Black (15.8) FIL (5.3) |
| Newborns who Received Formula within the First 2 Days of Life | 36 | 19.6 | 14.2 | 19.4 | 2013 | percent | 1.88 | |
| Pregnant Women who Abstained from Binge Drinking | 40 | 92.2 | 100 | 95.8 | 2006-2009 | percent | 1.75 | |
| Babies with Low Birth Weight | 27 | 8.3 | 7.8 | 8 | 2013 | percent | 1.63 | |
| Pregnancies that are Intended | 42 | 54.8 | 56 | - | 2011 | percent | 1.63 | |
| Women who Abstained from Alcohol in Their Third Trimester | 42 | 93.1 | | | 2011 | percent | 1.63 | |
| Women who Binge Drink Prior to Pregnancy (2004-2008) | 42 | 19.5 | | | 2010 | percent | 1.63 | |
| Babies with Very Low Birth Weight | 27 | 1.4 | 1.4 | 1.42 | 2013 | percent | 1.38 | |
| Infants Still Breastfeeding at 8 Weeks | 42 | 78.2 | | ··· - | 2011 | percent | 1.38 | |
| Low Birth Weight | 17 | 5.96 | | 6.249 | 2011 | per 100 discharges | 1.38 | |
| Mothers who Smoked During Pregnancy | 27 | 4.3 | 1.4 | 9 | 2013 | percent | 1.38 | NH (10) |
| Late Preterm Births | 27 | 6.9 | 8.1 | 8 | 2013 | percent | 1.13 | · (· - / |
| Mothers who Ever Breastfed | 42 | 95.6 | | | 2011 | percent | 1.13 | |
| Post Neonatal Mortality Rate | 27 | 1.8 | 2 | 1.9 | 2013 | deaths/1,000 live births | 1.13 | |
| Births Delivered by Cesarean Section | 27 | 25.6 | | 26.9 | 2013 | percent | 1.00 | |
| nfants Born to Mothers with <12 Yrs Education | 27 | 6.6 | | 17 | 2013 | percent | 1.00 | NH (10.4) PI (19.2) Other (9.8) |
| Infants who were Breastfed at 6 Months | 36 | 62.5 | 60.6 | 49.4 | 2013 | percent | 1.00 | (.07) 1 (10.2) Outer (0.0) |
| manto who were breastied at 0 MOHUIS | 30 | 02.0 | 00.0 | ¬⊅. ¬ | 2010 | percent | 1.00 | |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | Source | Hawaii | HP2020 | Nation | Measurement | Units | Score | High Race Disparity* |
|--|--------|--------|--------|--------|-------------|---|-------|--------------------------------------|
| MATERNAL, FETAL & INFANT HEALTH (CONTINUED) | | State | | | Period | | | |
| Teen Birth Rate | 27 | 25 | | 26.5 | 2013 | births/1,000 women aged 15- 19 years | 1.00 | Black (28.7) NHPI (123.7) |
| Births Occurring in Baby-Friendly Facilities | 6 | 8.9 | 8.1 | 7.8 | 2013 | percent | 0.88 | |
| Early Preterm Births | 27 | 1.2 | 1.4 | 1.5 | 2013 | percent | 0.88 | |
| Infants who were Breastfed Exclusively Through 6 Months | 36 | 26.4 | 25.5 | 18.8 | 2013 | percent | 0.88 | |
| Infants who were Ever Breastfed | 36 | 89.5 | 81.9 | 79.2 | 2013 | percent | 0.88 | |
| nfant Deaths Due to Congenital Heart Defects | 27 | 0.2 | 0.34 | 0.36 | 2004-2013 | deaths/1,000 live births | 0.75 | |
| Women Who Quit Smoking During Pregnancy | 42 | 73.9 | 30 | | 2011 | percent | 0.75 | |
| Infant Deaths Due to All Birth Defects | 27 | 0.7 | 1.3 | 1.2 | 2011-2013 | deaths/1,000 live births | 0.63 | |
| Infant Deaths Due to Sudden Infant Death Syndrome (SIDS) | 27 | 0.2 | 0.5 | 0.47 | 2009-2013 | deaths/1,000 live births | 0.63 | |
| Infant Deaths Due to Sudden Unexpected Infant Deaths | 27 | 0.5 | 0.84 | 0.87 | 2011-2013 | deaths/1,000 live births | 0.63 | |
| Infants who were Breastfed Exclusively Through 3 Months | 36 | 48.5 | 46.2 | 40.7 | 2013 | percent | 0.63 | |
| Mothers who Received Late or No Prenatal Care | 27 | 14.1 | 22.1 | 26.3 | 2013 | percent | 0.63 | |
| Preterm Births | 27 | 10.1 | 11.4 | 11.4 | 2013 | percent | 0.63 | |
| Pregnancies Among Females Aged 15-17 Years | 27 | 18 | 36.2 | 30.1 | 2012 | pregnancies/1,000 females aged 15-17 | 0.38 | |
| Pregnancies Among Females Aged 18-19 Years | 27 | 72.1 | 105.9 | 96.2 | 2012 | pregnancies/1,000 females aged 18-19 | 0.38 | |
| MEN'S HEALTH | | | | | | | | |
| Gonorrhea Among Males | 25 | 74.8 | | 105.8 | 2012 | cases/100,000 males | 1.25 | |
| PSA Test- Discussed With Doctor | 5 | 19.7 | 15.9 | | 2013 | percent | 1.13 | |
| Life Expectancy for Males | 32 | 77.9 | | 76.07 | 2010 | years | 1.00 | |
| Syphilis Among Males | 25 | 3 | 6.7 | 9.3 | 2012 | cases/100,000 males | 0.75 | |
| Prostate Cancer Death Rate | 27 | 12 | 21.8 | 19.2 | 2013 | deaths/100,000 males | 0.38 | White (12.8) NHPI (34.6) |
| Prostate Cancer Incidence Rate | 34 | 113.9 | | 142.3 | 2007-2011 | cases/100,000 males | 0.38 | |
| MENTAL HEALTH & MENTAL DISORDERS | | | | | | | | |
| Adults who Experience Major Depressive Episodes | 40 | 7.9 | 5.8 | 6.8 | 2012-2013 | percent | 2.38 | Black (20) NH (8.8) |
| Adults with Serious Mental Illness who Received Treatment | 40 | 54.6 | 72.3 | 65.9 | 2012-2013 | percent | 2.25 | |
| People with Serious Mental Illness who are Employed | 40 | 45.6 | 61.6 | 51 | 2010-2011 | percent | 2.25 | |
| Adolescents who Experience Major Depressive Episodes | 40 | 10.6 | 7.5 | 9.9 | 2012-2013 | percent | 2.13 | |
| Teens Who Attempted Suicide | 57 | 3.2 | 1.7 | 2.7 | 2013 | percent | 2.13 | |
| Teens With Disordered Eating | 57 | 20 | 12.9 | | 2013 | percent | 2.00 | |
| Adults with Major Depressive Episodes who Received Freatment | 40 | 38.2 | 75.9 | 56.7 | 2012-2013 | percent | 1.88 | |
| Feens who are Cyberbullied | 57 | 15.6 | | 14.8 | 2013 | percent | 1.63 | |
| Alzheimer's Disease or Dementia: Medicare Population | 8 | 9.2 | | 9.8 | 2012 | percent | 1.50 | |
| Teens who are Bullied | 57 | 18.7 | 17.9 | 19.6 | 2013 | percent | 1.50 | |
| Schools Requiring Education on Suicide Prevention | 44 | 71 | 48.3 | | 2012 | percent | 1.13 | |
| Self-Reported Good Physical and Mental Health | 5 | 55.6 | | 49.6 | 2013 | percent | 1.13 | |
| Suicide Death Rate | 27 | 10.9 | 10.2 | 12.6 | 2013 | deaths/100,000 population | 1.13 | Black (24.8) White (15.3) NHP (31.2) |
| Mental Health Treatment for Children | 38 | 83.7 | 75.8 | 79.7 | 2009-2010 | percent | 1.00 | . , |
| Nonfatal Injuries due to Intentional Self-harm | 17 | 44.3 | 112.4 | 153 | 2011 | ED visits per 100,000 | 0.88 | |

^{*}AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific Islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|---------|-------------|--|-------|--|
| MENTAL HEALTH & MENTAL DISORDERS (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Depression: Medicare Population | 8 | 7.4 | | 15.4461 | 2012 | percent | 0.75 | Black (8.67) White (11.55) AIAK (17.82) |
| MORTALITY DATA | | | | | | | | |
| Unintentional Suffocation Death Rate 65+ Yrs | 27 | 10.1 | 7.5 | 8 | 2011-2013 | deaths/100,000 population 65+ years | 2.38 | Asian (12.2) NHPI (18.8) |
| Pedestrian Death Rate | 12 | 1.9 | 1.4 | 1.5 | 2009-2012 | deaths/100,000 population | 2.25 | |
| Alcohol-Impaired Driving Fatality Rate | 12 | 0.6 | 0.38 | 0.4 | 2012 | per 100 million vehicle miles | 2.13 | |
| Asthma Death Rate 35-64 Yrs | 27 | 14.3 | 4.9 | 11.4 | 2009-2013 | deaths/1,000,000 population 35-64 | 2.13 | NHPI (75) |
| Asthma Death Rate 65+ Yrs | 27 | 49.1 | 21.5 | 36.7 | 2009-2013 | deaths/1,000,000 population 65+ | 2.13 | Asian (54.3) NHPI (150.3) |
| Drowning Death Rate | 27 | 2 | 1.1 | 1.2 | 2013 | deaths/100,000 population | 2.13 | White (2.1) Asian (2.1) NHPI (5.1) |
| Oropharyngeal Cancer Death Rate | 27 | 2.6 | 2.3 | 2.5 | 2011-2013 | deaths/100,000 population | 2.13 | |
| Asthma Death Rate | 27 | 1.4 | | 1.1 | 2013 | deaths/1,000,000 population | 2.00 | NHPI (6.4) |
| Alcohol-Impaired Driving Deaths | 10 | 41.6 | | | 2008-2012 | percent | 1.88 | |
| Deaths Attributable to Alcohol | 1 | 304 | 219 | | 2006-2010 | deaths | 1.88 | |
| Infant Mortality Rate | 27 | 6.2 | 6 | 6.1 | 2013 | deaths/1,000 live births | 1.88 | Black (15.8) FIL (7.9) |
| Neonatal Mortality Rate | 27 | 4.4 | 4.1 | 4 | 2013 | deaths/1,000 live births | 1.88 | Black (15.8) FIL (5.3) |
| Cervical Cancer Death Rate | 27 | 2.3 | 2.2 | 2.3 | 2011-2013 | deaths/100,000 females | 1.63 | NHPI (11.2) |
| Deaths Among Children Aged 0-4 Years | 27 | 148.7 | | 139.1 | 2013 | deaths/100,000 population 0-4 | 1.50 | Black (535.4) Asian (174.4) NHPI (607.7) |
| Colon Cancer Death Rate | 27 | 14 | 14.5 | 14.6 | 2013 | deaths/100,000 population | 1.38 | |
| Deaths Among Adolescents Aged 10-14 Years | 27 | 13.5 | 14.8 | 14.1 | 2011-2013 | deaths/100,000 population 10-14 | 1.38 | NHPI (69.4) |
| Asthma Death Rate <35 Yrs | 27 | 2.9 | | 3.5 | 2004-2013 | deaths/1,000,000 population <35 | 1.25 | |
| Death Rate due to Drug Poisoning | 10 | 9.3 | | | 2004-2010 | deaths/100,000 population | 1.13 | |
| Post Neonatal Mortality Rate | 27 | 1.8 | 2 | 1.9 | 2013 | deaths/1,000 live births | 1.13 | |
| Stroke Death Rate | 27 | 33.6 | 34.8 | 36.2 | 2013 | deaths/100,000 population | 1.13 | NHPI (92.3) |
| Suicide Death Rate | 27 | 10.9 | 10.2 | 12.6 | 2013 | deaths/100,000 population | 1.13 | Black (24.8) White (15.3) NHPI (31.2) |
| Breast Cancer Death Rate | 27 | 15.1 | 20.7 | 20.8 | 2013 | deaths/100,000 females | 0.88 | NHPI (65.9) |
| Cirrhosis Death Rate | 27 | 6.7 | 8.2 | 10.2 | 2013 | deaths/100,000 population | 0.88 | |
| Drug-Induced Deaths | 27 | 10.6 | 11.3 | 14.7 | 2013 | deaths/100,000 population | 0.88 | White (14.6) NHPI (26.9) |
| Melanoma Cancer Death Rate | 27 | 1.5 | 2.4 | 2.7 | 2009-2013 | deaths/100,000 population | 0.88 | White (3.9) NHPI (3.3) |
| Motor Vehicle Collision Death Rate | 27 | 8.6 | 12.4 | 10.9 | 2012 | deaths/100,000 population | 0.88 | NHPI (32.2) |
| Infant Deaths Due to Congenital Heart Defects | 27 | 0.2 | 0.34 | 0.36 | 2004-2013 | deaths/1,000 live births | 0.75 | |
| Cancer Death Rate | 27 | 132 | 161.4 | 163.2 | 2013 | deaths/100,000 population | 0.63 | |
| COPD Death Rate 45+ Yrs | 27 | 42.1 | 102.6 | 114.8 | 2013 | deaths/100,000 population 45+ years | 0.63 | White (56.2) NHPI (105.5) |
| Deaths Among Adolescents Aged 15-19 Years | 27 | 39.8 | 54.3 | 44.8 | 2013 | deaths/100,000 population 15-19 | 0.63 | Asian (41.1) NHPI (156.5) |
| Deaths Among Children Aged 5-9 Years | 27 | 9.8 | 12.4 | 11.7 | 2011-2013 | deaths/100,000 population 5-9 | 0.63 | White (13.4) NHPI (34.1) |
| Deaths Among Young Adults Aged 20-24 Years | 27 | 62 | 88.3 | 83.4 | 2013 | deaths/100,000 population 20-24 | 0.63 | NHPI (209.9) |
| Diabetes Death Rate | 27 | 15.4 | 66.6 | 21.2 | 2013 | deaths/100,000 population | 0.63 | NHPI (82) |
| Fall-Related Death Rate | 27 | 6.4 | 7.2 | 8.5 | 2013 | deaths/100,000 population | 0.63 | |
| Fall-Related Death Rate 65+ | 27 | 40.1 | 47 | 56.7 | 2013 | deaths/100,000 population 65+ years | 0.63 | |
| Firearm-Related Death Rate | 27 | 2.4 | 9.3 | 10.4 | 2013 | deaths/100,000 population | 0.63 | White (3.9) NHPI (7.6) |
| | | | | | | | | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | Source | Hawaii | HP2020 | Nation | Measurement | Units | Score | High Race Disparity* |
|---|--------|-------------------|--------|--------|----------------|--|-------|---|
| MORTALITY DATA (CONTINUED) Heart Disease Death Rate | 27 | State 68.9 | 103.4 | 105.4 | Period 2013 | dth-/400 000l-ti | 0.63 | ALAK (050 4) NUIDI (050 5) |
| Homicide Death Rate | 27 | 1.7 | 5.5 | 5.3 | 2013 | deaths/100,000 population per 100,000 population | 0.63 | AIAK (259.1) NHPI (252.5) NHPI (8.3) |
| Infant Deaths Due to All Birth Defects | 27 | 0.7 | 1.3 | 1.2 | 2011-2013 | deaths/1,000 live births | 0.63 | NHPI (8.3) |
| Infant Deaths Due to Sudden Infant Death Syndrome | | | | | | deaths/1,000 live bilths | | |
| (SIDS) | 27 | 0.2 | 0.5 | 0.47 | 2009-2013 | deaths/1,000 live births | 0.63 | |
| Infant Deaths Due to Sudden Unexpected Infant Deaths | 27 | 0.5 | 0.84 | 0.87 | 2011-2013 | deaths/1,000 live births | 0.63 | |
| Injury Death Rate | 27 | 42.4 | 53.7 | 58.8 | 2013 | deaths/100,000 population | 0.63 | White (51) AIAK (129.7) NHPI (116.6) |
| Lung Cancer Death Rate | 27 | 31.8 | 45.5 | 43.4 | 2013 | deaths/100,000 population | 0.63 | |
| Poisoning Death Rate | 27 | 10.8 | 13.2 | 15.2 | 2013 | deaths/100,000 population | 0.63 | White (15.8) NHPI (26.3) |
| Poisoning Death Rate (Unintentional) | 27 | 9.2 | 11.1 | 13.2 | 2013 | deaths/100,000 population | 0.63 | White (13) NHPI (26.3) |
| Poisoning Death Rate (Unintentional) 35-54 yrs | 27 | 17.7 | 21.6 | 24 | 2013 | deaths/100,000 population | 0.63 | White (21.2) NHPI (53.3) |
| Poisoning Death Rate 35-54 yrs | 27 | 20.6 | 25.6 | 27.6 | 2013 | deaths/100,000 population | 0.63 | White (26.5) NHPI (53.3) |
| Unintentional Injury Death Rate | 27 | 27.5 | 36.4 | 39.4 | 2013 | deaths/100,000 population | 0.63 | White (29.9) AIAK (84.4) NHPI (75.1) |
| Prostate Cancer Death Rate | 27 | 12 | 21.8 | 19.2 | 2013 | deaths/100,000 males | 0.38 | White (12.8) NHPI (34.6) |
| OLDER ADULTS & AGING | | | | | | | | |
| Unintentional Suffocation Death Rate 65+ Yrs | 27 | 10.1 | 7.5 | 8 | 2011-2013 | deaths/100,000 population 65+ years | 2.38 | Asian (12.2) NHPI (18.8) |
| Hyperlipidemia: Medicare Population | 8 | 54.0 | | 44.8 | 2012 | percent | 2.25 | |
| Osteoporosis: Medicare Population | 8 | 8.4 | | 6.4 | 2012 | percent | 2.25 | API (10.68) |
| Asthma Death Rate 65+ Yrs | 27 | 49.1 | 21.5 | 36.7 | 2009-2013 | deaths/1,000,000 population 65+ | 2.13 | Asian (54.3) NHPI (150.3) |
| Asthma: Medicare Population | 8 | 5.2 | | 4.9 | 2012 | percent | 2.00 | |
| Chronic Kidney Disease: Medicare Population | 8 | 16.6 | | 15.5 | 2012 | percent | 2.00 | |
| ED Visits for Asthma 65+ | 17 | 30 | 13.7 | | 2011 | per 10,000 people 65 yrs and older | 1.88 | |
| Pneumonia Vaccination Rate 65+ | 5 | 68.2 | 90 | 69.5 | 2013 | percent | 1.88 | |
| Diabetes: Medicare Population | 8 | 27.2 | | 27.0 | 2012 | percent | 1.75 | |
| Hypertension: Medicare Population | 8 | 55.8 | | 55.5 | 2012 | percent | 1.75 | |
| Preventive Services for Older Men | 5 | 40.5 | 44.6 | 41.8 | 2013 | percent | 1.75 | |
| Preventive Services for Older Women | 5 | 40.2 | 46.8 | 39.2 | 2013 | percent | 1.75 | |
| Influenza Vaccination Rate 65+ | 5 | 69.9 | 90 | 62.8 | 2013 | percent | 1.63 | |
| Alzheimer's Disease or Dementia: Medicare Population | 8 | 9.2 | | 9.8 | 2012 | percent | 1.50 | |
| Cancer: Medicare Population | 8 | 7.5 | | 7.9 | 2012 | percent | 1.50 | |
| Stroke: Medicare Population | 8 | 3.7 | | 3.8 | 2012 | percent | 1.50 | |
| Hospitalization Rate due to Falls Among Seniors | 17 | 920 | | | 2009 | hospitalizations/100,000 population 65+ | 1.38 | |
| Activity Limitations due to Arthritis | 5 | 37.8 | 35.5 | 43 | 2013 | percent | 1.25 | |
| Adults with Arthritis | 5 | 19.9 | | 25.3 | 2013 | percent | 1.13 | |
| Hospitalizations for Asthma 65+ | 17 | 18.7 | 20.1 | 25.5 | 2012 | per 10,000 people 65 yrs and older | 1.00 | |
| Atrial Fibrillation: Medicare Population | 8 | 5.7 | | 7.8 | 2012 | percent | 0.75 | |
| COPD: Medicare Population | 8 | 6.0 | | 11.3 | 2012 | percent | 0.75 | |
| Depression: Medicare Population | 8 | 7.4 | | 15.4 | 2012 | percent | 0.75 | Black (8.67) White (11.55) AIAK (17.82) |
| ED Visits for Falls 65+ | 17 | 2843 | 4712 | 6894 | 2007-2011 | visits/100,000 population 65+ | 0.75 | |
| Heart Failure: Medicare Population | 8 | 9.8 | | 14.6 | 2012 | percent | 0.75 | |
| Ischemic Heart Disease: Medicare Population | 8 | 20.5 | | 28.6 | 2012 | percent | 0.75 | |
| Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 8 | 17.3 | | 29.0 | 2012 | percent | 0.75 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Tonic

| Data Scoring Appendix: Indicator Scores by Topic | Source | Hawaii | HP2020 | Nation | Measurement | Units | Score | High Race Disparity* |
|---|--------|--------|--------|--------|----------------|---|-------|---|
| OLDER ADULTS & AGING (CONTINUED) Adults 65+ with Total Tooth Loss | 5 | 7.0 | 21.6 | 16.1 | Period 2012 | percent | 0.63 | NH (21.4) FIL (10.7) |
| | | | | | | deaths/100,000 population | | NH (21.4) FIL (10.7) |
| Fall-Related Death Rate 65+ | 27 | 40.1 | 47 | 56.7 | 2013 | 65+ years | 0.63 | |
| People 65+ Living Below Poverty Level | 2 | 7.4 | | 9.4 | 2009-2013 | percent | 0.63 | Asian (7.5) AIAK (31.6) NHPI (10.8) Other (12.8) Hisp (11) |
| ORAL HEALTH | | | | | | | | |
| Adults 45-64 with One or More Tooth Extractions | 5 | 45.3 | 68.8 | 30.2 | 2012 | percent | 1.50 | |
| Adults who Visited a Dentist | 5 | 70.4 | | 67.2 | 2012 | percent | 1.50 | |
| Adults with One or More Tooth Extractions | 5 | 41.4 | | 43.6 | 2012 | percent | 1.50 | |
| Teens Who Saw a Dentist in the Past Year | 57 | 70.3 | 49 | | 2013 | percent | 1.13 | |
| Young Teens Who Saw a Dentist in the Past Year | 57 | 61.5 | 49 | | 2013 | percent | 1.13 | |
| Adults 65+ with Total Tooth Loss | 5 | 7.0 | 21.6 | 16.1 | 2012 | percent | 0.63 | NH (21.4) FIL (10.7) |
| OTHER CHRONIC DISEASES | | | | | | | | |
| Kidney Failure due to Diabetes | 56 | 262.6 | 150.6 | 155.7 | 2011 | per 1,000,000 population | 2.25 | |
| New Cases of End-Stage Renal Disease | 56 | 419.7 | 344.3 | 356.7 | 2011 | new cases per 1,000,000 population | 2.25 | |
| Osteoporosis: Medicare Population | 8 | 8.4 | | 6.4 | 2012 | percent | 2.25 | API (10.68) |
| Chronic Kidney Disease: Medicare Population | 8 | 16.6 | | 15.5 | 2012 | percent | 2.00 | |
| Kidney Disease Prevalence | 5 | 3.2 | | 2.5 | 2013 | percent | 1.88 | |
| Activity Limitations due to Arthritis | 5 | 37.8 | 35.5 | 43 | 2013 | percent | 1.25 | |
| Adults with Arthritis | 5 | 19.9 | | 25.3 | 2013 | percent | 1.13 | |
| Cirrhosis Death Rate | 27 | 6.7 | 8.2 | 10.2 | 2013 | deaths/100,000 population | 0.88 | |
| Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 8 | 17.3 | | 29.0 | 2012 | percent | 0.75 | |
| OTHER CONDITIONS | | | | | | | | |
| Dehydration | 17 | 65.9 | | 116.5 | 2011 | hospitalizations/100,000 | 1.13 | |
| Perforated Appendix | 17 | 23.7 | | 29.7 | 2011 | per 100 discharges | 1.13 | |
| Urinary Tract Infection | 17 | 102.7 | | 182.0 | 2011 | hospitalizations/100,000 | 1.13 | |
| PREVENTION & SAFETY | | | | | | | | |
| Unintentional Suffocation Death Rate 65+ Yrs | 27 | 10.1 | 7.5 | 8 | 2011-2013 | deaths/100,000 population 65+ years | 2.38 | Asian (12.2) NHPI (18.8) |
| Motorcycle Helmet Usage | 19 | 42.3 | 74 | 60 | 2002 | percent | 2.25 | |
| Pedestrian Death Rate | 12 | 1.9 | 1.4 | 1.5 | 2009-2012 | deaths/100,000 population | 2.25 | |
| Teens Who Rode With a Driver Who Had Been Drinking | 57 | 37.1 | 25.5 | 28.3 | 2009 | percent | 2.25 | |
| Drowning Death Rate | 27 | 2.0 | 1.1 | 1.2 | 2013 | deaths/100,000 population | 2.13 | White (2.1) Asian (2.1) NHPI (5 |
| Nonfatal Injuries to Pedestrians | 17 | 37.3 | 20.3 | 24.3 | 2011 | injuries/100,000 population | 2.13 | |
| ntimate Partner Violence- Sexual | 5 | 3.6 | | 1.8 | 2013 | percent | 1.88 | |
| Severe Housing Problems | 10 | 27.3 | | | 2006-2010 | percent | 1.88 | |
| Schools Requiring Education on Unintentional Injury | 44 | 87 | 89.9 | | 2012 | percent | 1.63 | |
| Teens Who Texted or Emailed While Driving | 57 | 43.3 | | 41.4 | 2013 | percent | 1.63 | |
| Child Safety Seat Usage 0-12 Months | 16 | 93.8 | 95 | 90 | 2010 | percent | 1.38 | |
| Hospitalization Rate due to Falls Among Seniors | 17 | 920 | | | 2009 | hospitalizations/100,000 population 65+ | 1.38 | |
| Safety Belt Usage- Observed | 37 | 94 | 92 | 87 | 2013 | percent | 1.38 | |
| Safety Belt Usage- Reported | 5 | 94 | | 86.9 | 2013 | percent | 1.38 | |
| Death Rate due to Drug Poisoning | 10 | 9.3 | | | 2004-2010 | deaths/100,000 population | 1.13 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|--------|-------------|--|-------|---|
| PREVENTION & SAFETY (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Hospitalization Rate due to Motor Vehicle Collisions | 17 | 63.6 | | | 2009 | hospitalizations/100,000 population | 1.13 | |
| Hospitalization Rate due to Unintentional Injuries | 17 | 296 | | | 2011 | hospitalizations/100,000 population | 1.13 | |
| Nonfatal Poisoning | 17 | 63.2 | 304.8 | 355.5 | 2011 | ED visits per 100,000 | 1.13 | |
| Motor Vehicle Collision Death Rate | 27 | 8.6 | 12.4 | 10.9 | 2012 | deaths/100,000 population | 0.88 | NHPI (32.2) |
| Teens Who Carried a Weapon at School | 57 | 4.2 | 4.6 | 5.4 | 2011 | percent | 0.88 | |
| ED Visits for Falls 65+ | 17 | 2843 | 4712 | 6894 | 2007-2011 | visits/100,000 population 65+ | 0.75 | |
| Residential Fire Death Rate | 27 | 0.2 | 0.9 | 0.6 | 2009-2013 | deaths/100,000 population | 0.75 | White (0.4) |
| ED Visits due to Injuries | 17 | 6002 | 7453 | 10164 | 2011 | visits/100,000 population | 0.63 | |
| ED Visits due to Unintentional Injuries | 17 | 5043 | 8310 | 9558 | 2011 | visits/100,000 population | 0.63 | |
| Fall-Related Death Rate | 27 | 6.4 | 7.2 | 8.5 | 2013 | deaths/100,000 population | 0.63 | |
| Fall-Related Death Rate 65+ | 27 | 40.1 | 47 | 56.7 | 2013 | deaths/100,000 population 65+ years | 0.63 | |
| Firearm-Related Death Rate | 27 | 2.4 | 9.3 | 10.4 | 2013 | deaths/100,000 population | 0.63 | White (3.9) NHPI (7.6) |
| Injury Death Rate | 27 | 42.4 | 53.7 | 58.8 | 2013 | deaths/100,000 population | 0.63 | White (51) AIAK (129.7) NHPI (116.6) |
| Nonfatal Injuries due to Motor Vehicle Collisions | 17 | 433 | 694 | 753 | 2011 | injuries/100,000 population | 0.63 | |
| Poisoning Death Rate | 27 | 10.8 | 13.2 | 15.2 | 2013 | deaths/100,000 population | 0.63 | White (15.8) NHPI (26.3) |
| Poisoning Death Rate (Unintentional) | 27 | 9.2 | 11.1 | 13.2 | 2013 | deaths/100,000 population | 0.63 | White (13) NHPI (26.3) |
| Poisoning Death Rate (Unintentional) 35-54 yrs | 27 | 17.7 | 21.6 | 24.0 | 2013 | deaths/100,000 population | 0.63 | White (21.2) NHPI (53.3) |
| Poisoning Death Rate 35-54 yrs | 27 | 20.6 | 25.6 | 27.6 | 2013 | deaths/100,000 population | 0.63 | White (26.5) NHPI (53.3) |
| Unintentional Injury Death Rate | 27 | 27.5 | 36.4 | 39.4 | 2013 | deaths/100,000 population | 0.63 | White (29.9) AIAK (84.4) NHPI (75.1) |
| Unintentional Suffocation Death Rate | 27 | 1.6 | 1.8 | 1.9 | 2011-2013 | deaths/100,000 population | 0.63 | NHPI (3.7) |
| Child Safety Seat Usage 1-3 yrs | 16 | 90.1 | 79 | 73 | 2010 | percent | 0.38 | |
| Hospitalization Rate due to Injuries | 17 | 439 | 556 | 599 | 2011 | hospitalizations/100,000 population | 0.38 | |
| PUBLIC SAFETY | | | | | | | | |
| Motorcycle Helmet Usage | 19 | 42.3 | 74 | 60 | 2002 | percent | 2.25 | |
| Pedestrian Death Rate | 12 | 1.9 | 1.4 | 1.5 | 2009-2012 | deaths/100,000 population | 2.25 | |
| Alcohol-Impaired Driving Fatality Rate | 12 | 0.6 | 0.38 | 0.4 | 2012 | per 100 million vehicle miles | 2.13 | |
| Nonfatal Injuries to Pedestrians | 17 | 37.3 | 20.3 | 24.3 | 2011 | injuries/100,000 population | 2.13 | |
| Alcohol-Impaired Driving Deaths | 10 | 41.6 | | | 2008-2012 | percent | 1.88 | |
| Drinking and Driving | 5 | 5.9 | | 1.8 | 2012 | percent | 1.88 | NH (11) JPN (6) |
| Intimate Partner Violence- Sexual | 5 | 3.6 | | 1.8 | 2013 | percent | 1.88 | . , , . , |
| School Safety | 39 | 87.5 | 95 | 90.9 | 2011-2012 | percent | 1.75 | |
| Intimate Partner Violence Among Teens | 57 | 11.1 | | 10.3 | 2013 | percent | 1.63 | |
| Teens Who Texted or Emailed While Driving | 57 | 43.3 | | 41.4 | 2013 | percent | 1.63 | |
| Child Safety Seat Usage 0-12 Months | 16 | 93.8 | 95 | 90 | 2010 | percent | 1.38 | |
| Hospitalization Rate due to Assault | 17 | 22.4 | | | 2011 | hospitalizations/100,000 population | 1.38 | |
| Safety Belt Usage- Observed | 37 | 94 | 92 | 87 | 2013 | percent | 1.38 | |
| Safety Belt Usage- Reported | 5 | 94 | | 86.9 | 2013 | percent | 1.38 | |
| Schools Requiring Education on Violence Prevention | 44 | 91.9 | 90.1 | | 2012 | percent | 1.38 | |
| Hospitalization Rate due to Motor Vehicle Collisions | 17 | 63.6 | | | 2009 | hospitalizations/100,000 population | 1.13 | |
| Motor Vehicle Collision Death Rate | 27 | 8.6 | 12.4 | 10.9 | 2012 | deaths/100,000 population | 0.88 | NHPI (32.2) |
| Firearm-Related Death Rate | 27 | 2.4 | 9.3 | 10.4 | 2013 | deaths/100,000 population | 0.63 | White (3.9) NHPI (7.6) |
| Homicide Death Rate | 27 | 1.7 | 5.5 | 5.3 | 2011-2013 | per 100,000 population | 0.63 | NHPI (8.3) |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Magauramant | | | |
|--|--------|-----------------|--------|---------|-----------------------|--|-------|--------------------------------|
| PUBLIC SAFETY (CONTINUED) | Source | Hawaii State | HP2020 | Nation | Measurement Period | Units | Score | High Race Disparity* |
| Nonfatal Injuries due to Assault | 17 | 298 | 461.2 | 564.9 | 2011 | ED visits per 100,000 | 0.63 | |
| Nonfatal Injuries due to Motor Vehicle Collisions | 17 | 433 | 694 | 752.5 | 2011 | injuries/100,000 population | 0.63 | |
| Child Safety Seat Usage 1-3 yrs | 16 | 90.1 | 79 | 73 | 2010 | percent | 0.38 | |
| Violent Crime Perpetrated by Adolescents and Young Adults | 54 | 238 | 399.6 | 344.5 | 2012 | arrests per 100,000 people aged 10-24 years | 0.38 | |
| RESPIRATORY DISEASES | | | | | | | | |
| Tuberculosis Among Foreign-Born Persons | 26 | 37.4 | 14 | 17.2 | 2011 | cases/100,000 foreign-born population | 2.25 | |
| Asthma Death Rate 35-64 Yrs | 27 | 14.3 | 4.9 | 11.4 | 2009-2013 | deaths/1,000,000 population 35-64 | 2.13 | NHPI (75) |
| Asthma Death Rate 65+ Yrs | 27 | 49.1 | 21.5 | 36.7 | 2009-2013 | deaths/1,000,000 population 65+ | 2.13 | Asian (54.3) NHPI (150.3) |
| Tuberculosis Incidence Rate | 15 | 8.6 | 1 | 3.2 | 2012 | cases/100,000 population | 2.50 | |
| Asthma Death Rate | 27 | 1.4 | | 1.1 | 2013 | deaths/1,000,000 population | 2.00 | NHPI (6.4) |
| Asthma: Medicare Population | 8 | 5.2 | | 4.9 | 2012 | percent | 2.00 | |
| Children with Current Asthma | 5 | 12.8 | | 9.2 | 2013 | percent | 2.00 | |
| Days with Unsatisfactory Air Quality | 24 | 254 | 227 | | 2013 | days | 2.00 | |
| ED Visits for Asthma 65+ | 17 | 30 | 13.7 | | 2011 | per 10,000 people 65 yrs and older | 1.88 | |
| ED Visits for Asthma Among Children <5 yrs old | 17 | 119.4 | 95.7 | | 2011 | per 10,000 children under 5 | 1.88 | |
| Pneumonia Vaccination Rate 65+ | 5 | 68.2 | 90 | 69.5 | 2013 | percent | 1.88 | |
| Teens Exposed to Secondhand Smoke | 58 | 85.9 | 41 | | 2013 | percent | 1.88 | |
| Hospitalizations for Asthma Among Children <5 yrs old | 17 | 19.7 | 18.2 | | 2012 | per 10,000 children under 5 | 1.63 | |
| Influenza Vaccination Rate 65+ | 5 | 69.9 | 90 | 62.8 | 2013 | percent | 1.63 | |
| Adults with Asthma | 5 | 9.4 | | 9 | 2013 | percent | 1.50 | |
| Influenza Vaccination Rate 18-64 yrs | 5 | 40.3 | 80 | 33.1 | 2013 | percent | 1.50 | |
| COPD Prevalence 45+ Yrs | 5 | 6.3 | | 6.5 | 2013 | percent deaths/1,000,000 population | 1.38 | |
| Asthma Death Rate <35 Yrs | 27 | 2.9 | | 3.5 | 2004-2013 | <35 | 1.25 | |
| Adults Exposed to Secondhand Smoke | 5 | 13.8 | 33.8 | | 2012 | percent | 1.13 | NH (27.5) PI (23.2) FIL (17.4) |
| Asthma in Younger Adults (Ages 18-39) | 17 | 25.86 | | 50.66 | 2011 | hospitalizations/100,000 | 1.13 | |
| Bacterial Pneumonia | 17 | 205.1 | | 284.9 | 2011 | hospitalizations/100,000 | 1.13 | |
| COPD in Older Adults (Ages 40+) | 17 | 293.38 | | 477.25 | 2011 | hospitalizations/100,000 | 1.13 | |
| Hospitalizations for Asthma 65+ | 17 | 18.7 | 20.1 | 25.5 | 2012 | per 10,000 people 65 yrs and older | 1.00 | |
| COPD: Medicare Population | 8 | 6 | | 11.2824 | 2012 | percent | 0.75 | |
| ED Visits for Asthma 5-64 yrs | 17 | 44.6 | 49.6 | 61.8 | 2011 | per 10,000 people 5-64 yrs old | 0.75 | |
| Hospitalizations for Asthma 5-64 yrs | 17 | 5.8 | 8.7 | 10.5 | 2012 | per 10,000 people 5-64 yrs old | 0.75 | |
| COPD Death Rate 45+ Yrs | 27 | 42.1 | 102.6 | 114.8 | 2013 | deaths/100,000 population 45+ years | 0.63 | White (56.2) NHPI (105.5) |
| Lung Cancer Death Rate | 27 | 31.8 | 45.5 | 43.4 | 2013 | deaths/100,000 population | 0.63 | |
| Lung and Bronchus Cancer Incidence Rate | 34 | 49.1 | | 64.9 | 2007-2011 | cases/100,000 population | 0.38 | |
| SOCIAL ENVIRONMENT | | | | | | | | |
| Young Teens with 2 Hours or Less of Computer and Video | | | | | 2010 | | | |
| Game Time | 57 | 58.8 | 100 | | 2013 | percent | 2.25 | |
| Teens with 2 Hours or Less of Computer and Video Game Time | 57 | 57.9 | 82.6 | 58.7 | 2013 | percent | 2.13 | |
| Parents who Attend the Activities of Their Adolescent | 39 | 79.3 | 90.3 | 82.6 | 2011-2012 | percent | 2.00 | |
| | | | | | | | | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|--------|-------------|-------------------------------|-------|---|
| SOCIAL ENVIRONMENT (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Young Teens Exposed to Secondhand Smoke | 58 | 92.2 | 41 | | 2013 | percent | 1.88 | |
| Young Teens with an Adult They Can Talk To | 57 | 73.4 | 83.2 | | 2013 | percent | 1.88 | |
| Young Teens with More Than 3 Hours of Computer/Video Game Time | 57 | 41.2 | | | 2013 | percent | 1.88 | White (11.72) NH (8.1) PI (14.52) Other (7.39) |
| Teens with More Than 3 Hours of Computer/Video Game Time | 57 | 42.1 | | 41.3 | 2013 | percent | 1.75 | |
| Young Teens with 2 Hours or Less of TV Time | 57 | 66.8 | 86.8 | | 2013 | percent | 1.75 | |
| Teens with an Adult They Can Talk To | 57 | 80.8 | 83.2 | | 2013 | percent | 1.63 | |
| Adolescents who Participate in Extracurricular Activities | 39 | 85.7 | 90.6 | 82.7 | 2011-2012 | percent | 1.50 | |
| Children Aged 12 to 17 with a TV in Their Bedroom | 39 | 60 | | 64.5 | 2011-2012 | percent | 1.38 | |
| Children Aged 6 to 11 with a TV in Their Bedroom | 39 | 47.1 | | 47.1 | 2011-2012 | percent | 1.38 | |
| Children Aged 6 to 11 with More Than 1 Hour of TV/Screen | 39 | 47.2 | | 49.4 | 2011-2012 | percent | 1.38 | |
| Children Under 5 Years with More Than 1 Hour of TV/Screen Time | 39 | 49 | | 49.2 | 2011-2012 | percent | 1.38 | |
| Teens with 2 Hours or Less of TV Time | 57 | 70.7 | 73.9 | 67.5 | 2013 | percent | 1.38 | |
| Young Teens with More Than 3 Hours of TV Time | 57 | 33.2 | 70.0 | 07.0 | 2013 | percent | 1.38 | |
| Teens who Watch 3+ Hours of Television | 57 | 29.3 | | 32.5 | 2013 | percent | 1.25 | |
| Children Living Below Poverty Level | 2 | 15.4 | | 21.6 | 2009-2013 | percent | 1.13 | AIAK (43.1) NHPI (28.4) Mult (16.9) Other (19.8) Hisp (21.3) |
| Single-Parent Households | 2 | 29.9 | | 33.3 | 2009-2013 | percent | 1.13 | |
| Parents who Read to Their Children | 39 | 53.6 | 52.6 | 47.9 | 2011-2012 | percent | 1.00 | |
| Physical Fighting Among Teens | 57 | 16.7 | 28.4 | 24.7 | 2013 | percent | 0.63 | |
| SUBSTANCE ABUSE Received Treatment for Illicit Drug Use | 40 | 2.8 | 17.6 | 19.3 | 2012-2013 | percent | 2.63 | |
| | | | | | | · | | Black (28.9) White (12.9) AIAK |
| Adults Who Use Illicit Drugs | 40 | 10.3 | 7.1 | 9.3 | 2012-2013 | percent | 2.38 | (11.9) NH (15.2) |
| Received Treatment for Illicit Drug or Alcohol Use | 40 | 3.5 | 10.9 | 10.8 | 2012-2013 | percent | 2.38 | |
| Received Treatment for Alcohol Use | 40 | 3.1 | 9 | 8 | 2012-2013 | percent | 2.25 | |
| Teens Who Rode With a Driver Who Had Been Drinking | 57 | 37.1 | 25.5 | 28.3 | 2009 | percent | 2.25 | |
| Alcohol-Impaired Driving Fatality Rate | 12 | 0.6 | 0.38 | 0.4 | 2012 | per 100 million vehicle miles | 2.13 | |
| Nonmedical Use of Stimulants | 40 | 1.6 | | 1.2 | 2012-2013 | percent | 2.00 | AIAK (3.8) NH (1.9) |
| Young Teens who Use Marijuana | 57 | 7.5 | 6 | | 2013 | percent | 2.00 | |
| Adolescent Use of Alcohol or Illicit Drugs | 40 | 18.1 | 16.6 | 15.9 | 2012-2013 | percent | 1.88 | |
| Alcohol-Impaired Driving Deaths | 10 | 41.6 | | | 2008-2012 | percent | 1.88 | |
| Deaths Attributable to Alcohol | 1 | 304 | 219 | | 2006-2010 | deaths | 1.88 | |
| Drinking and Driving | 5 | 5.9 | | 1.8 | 2012 | percent | 1.88 | NH (11) JPN (6) |
| Heavy Drinking | 5 | 7.6 | | 6.2 | 2013 | percent | 1.88 | |
| Illegal Drugs on School Property | 57 | 31.2 | 20.4 | 22.1 | 2013 | percent | 1.88 | |
| Indoor Worksites that Prohibit Smoking | 48 | 69.8 | 100 | | 2010-2011 | percent | 1.88 | |
| Smoke-Free High Schools | 44 | 79 | 100 | | 2012 | percent | 1.88 | |
| Smoke-Free Junior High Schools | 44 | 60 | 100 | | 2010 | percent | 1.88 | |
| Smoke-Free Middle Schools | 44 | 82.4 | 100 | | 2010 | percent | 1.88 | |
| Teens Who Ever Tried E-Cigarettes | 58 | 17.6 | | 11.9 | 2013 | percent | 1.88 | |
| Teens Who Use E-Cigarettes | 58 | 10 | | 4.5 | 2013 | percent | 1.88 | |
| Young Teens Who Ever Tried E-Cigarettes | 58 | 7.9 | | 3 | 2013 | percent | 1.88 | |
| | | | | | | | | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|--------|-------------|---------------------------|-------|---|
| SUBSTANCE ABUSE (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Young Teens Who Smoke Tobacco in a Hookah | 58 | 1.4 | | 1.1 | 2013 | percent | 1.88 | Black (2.9) NH (3.2) CHN (2.2) Other (1.9) |
| Young Teens Who Use E-Cigarettes | 58 | 5.5 | | 1.1 | 2013 | percent | 1.88 | Black (8) NH (10.2) Other (6) |
| Adolescents who Use Inhalants | 40 | 3.7 | | 2.3 | 2012-2013 | percent | 1.75 | |
| Nonmedical Use of Prescription Pain Relievers | 40 | 4.6 | | 4.5 | 2012-2013 | percent | 1.75 | |
| Nonmedical Use of Sedatives | 40 | 0.3 | | 0.2 | 2012-2013 | percent | 1.75 | |
| Pregnant Women who Abstained from Binge Drinking | 40 | 92.2 | 100 | 95.8 | 2006-2009 | percent | 1.75 | |
| Initiation of Use of Smokeless Tobacco Among Teens | 40 | 0.9 | 0.6 | 1.8 | 2012-2013 | percent | 1.63 | |
| Initiation of Use of Smokeless Tobacco Among Young Adults | 40 | 0.9 | 0.2 | 1.4 | 2012-2013 | percent | 1.63 | |
| Women who Abstained from Alcohol in Their Third Trimester | 42 | 93.1 | | | 2011 | percent | 1.63 | |
| Women who Binge Drink Prior to Pregnancy (2004-2008) | 42 | 19.5 | | | 2010 | percent | 1.63 | |
| Adults Who Attempted to Quit Smoking | 5 | 61.6 | 80 | 51.8 | 2013 | percent | 1.50 | |
| Adults who use Smokeless Tobacco | 5 | 1.6 | 0.3 | 4.2 | 2013 | percent | 1.50 | |
| Binge Drinking Among Teen Boys | 57 | 10.6 | 8.6 | 22 | 2013 | percent | 1.50 | |
| Binge Drinking Among Teen Girls | 57 | 12.9 | 8.6 | 19.6 | 2013 | percent | 1.50 | |
| Smoke-Free Homes | 5 | 80.6 | 87 | | 2012 | percent | 1.50 | |
| Adults who Smoke Cigarettes | 5 | 13.3 | 12 | 19 | 2013 | percent | 1.38 | |
| Mothers who Smoked During Pregnancy | 27 | 4.3 | 1.4 | 9 | 2013 | percent | 1.38 | NH (10) |
| Nonmedical Use of Prescription Drugs | 40 | 5.7 | 5.5 | 6.1 | 2012-2013 | percent | 1.38 | |
| Schools Requiring Education on Alcohol and Other Drug Use | 44 | 90.7 | 89.9 | | 2012 | percent | 1.38 | |
| Schools Requiring Education on Tobacco Use and Addiction | 44 | 90 | 89.1 | | 2012 | percent | 1.38 | |
| State Tax on Cigarettes | 47 | 3.2 | | | 2014 | | 1.38 | |
| Teens who Use Marijuana | 57 | 18.9 | 6 | 23.4 | 2013 | percent | 1.38 | |
| Nonmedical Use of Tranquilizers | 40 | 1.6 | | 2.2 | 2012-2013 | percent | 1.25 | |
| Teens Who Never Used Illicit Drugs | 57 | 56.4 | 58.6 | 50.1 | 2013 | percent | 1.25 | |
| Death Rate due to Drug Poisoning | 10 | 9.3 | | | 2004-2010 | deaths/100,000 population | 1.13 | |
| Initiation of Use of Cigarettes Among Young Adults | 40 | 2.9 | 6.4 | 3.2 | 2012-2013 | percent | 1.13 | |
| Initiation of Use of Cigars Among Young Adults | 40 | 3.4 | 4.3 | 3.7 | 2012-2013 | percent | 1.13 | |
| Teens Who Ever Tried Tobacco in a Hookah | 58 | 8.3 | | 14.3 | 2013 | percent | 1.13 | |
| Teens Who Smoke Tobacco in a Hookah | 58 | 3.3 | | 5.2 | 2013 | percent | 1.13 | White (5) NH (5.2) Other (3.6) |
| Young Teens Who Ever Tried Tobacco in a Hookah | 58 | 2.4 | | 3 | 2013 | percent | 1.13 | Black (4.3) NH (4.6) PI (2.6) |
| Young Teens Who Smoke Cigarettes | 57 | 5.2 | | | 2013 | percent | 1.13 | NH (5.7) PI (12.9) |
| Illegal Tobacco Sales to Minors | 46 | 4.2 | 5 | | 2013 | percent | 1.00 | |
| Teens who have Used Methamphetamines | 57 | 4.3 | | 10.6 | 2013 | percent | 1.00 | |
| Teens Who Tried to Quit Smoking | 57 | 64.8 | 64 | 49.9 | 2011 | percent | 1.00 | |
| Teens who Use Alcohol | 57 | 25.2 | | 34.9 | 2013 | percent | 1.00 | |
| Adults who Binge Drink | 5 | 18.3 | 24.4 | 26.9 | 2013 | percent | 0.88 | |
| Cirrhosis Death Rate | 27 | 6.7 | 8.2 | 10.2 | 2013 | deaths/100,000 population | 0.88 | |
| Drug-Induced Deaths | 27 | 10.6 | 11.3 | 14.7 | 2013 | deaths/100,000 population | 0.88 | White (14.6) NHPI (26.9) |
| Adults Who Recently Quit Smoking | 5 | 15.3 | 8 | 6.3 | 2013 | percent | 0.75 | |
| Excessive Drinking | 5 | 19.7 | 25.4 | 28 | 2013 | percent | 0.75 | |
| Teens who Smoke Cigars | 57 | 6.8 | 8 | 13.1 | 2011 | percent | 0.75 | White (11.6) NH (7.4) PI (13.9) |
| Teens who Use Smokeless Tobacco | 57 | 3.5 | 6.9 | 7.7 | 2011 | percent | 0.75 | White (5.7) NH (3.7) PI (12.6) |
| Teens who Use Tobacco | 57 | 14.5 | 21 | 23.4 | 2011 | percent | 0.75 | |
| | | | | | | · | | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | _ | Hawaii | | | Measurement | | _ | |
|--|--------|--------|--------|--------|-------------|---------------------------|-------|---|
| SUBSTANCE ABUSE (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Women Who Quit Smoking During Pregnancy | 42 | 73.9 | 30 | | 2011 | percent | 0.75 | |
| Initiation of Use of Cigarettes Among Teens | 40 | 2.8 | 4.3 | 3.9 | 2012-2013 | percent | 0.63 | |
| Liquor Store Density | 50 | 3.8 | | 10.3 | 2012 | stores/100,000 population | 0.63 | |
| Teens Who Never Drank Alcohol | 57 | 47.5 | 30.5 | 33.8 | 2013 | percent | 0.63 | |
| Teens Who Smoke Cigarettes | 57 | 10.4 | 16 | 15.7 | 2013 | percent | 0.63 | |
| Initiation of Use of Cigars Among Teens | 40 | 1.7 | 2.9 | 3.2 | 2012-2013 | percent | 0.38 | |
| TEEN & ADOLESCENT HEALTH | | | | | | | | |
| Teens Who Attend Daily Physical Education | 57 | 7.3 | 36.6 | 29.4 | 2013 | percent | 2.38 | |
| Condom Use Among Teen Boys | 57 | 53.5 | 81.5 | 65.8 | 2013 | percent | 2.25 | |
| Condom Use Among Teen Girls | 57 | 41.5 | 55.6 | 53.1 | 2013 | percent | 2.25 | |
| Teens Who Get Sufficient Sleep | 57 | 26.8 | 33.1 | 31.7 | 2013 | percent | 2.25 | |
| Teens Who Rode With a Driver Who Had Been Drinking | 57 | 37.1 | 25.5 | 28.3 | 2009 | percent | 2.25 | |
| Adolescents who Experience Major Depressive Episodes | 40 | 10.6 | 7.5 | 9.9 | 2012-2013 | percent | 2.13 | |
| Teens Who Attempted Suicide | 57 | 3.2 | 1.7 | 2.7 | 2013 | percent | 2.13 | |
| Teens who Meet Aerobic Physical Activity Guidelines | 57 | 22 | 31.6 | 27.1 | 2013 | percent | 2.13 | |
| Teens with 2 Hours or Less of Computer and Video Game | - | | | | | • | | |
| Time | 57 | 57.9 | 82.6 | 58.7 | 2013 | percent | 2.13 | |
| Continuity of Health Care Among Youth with Special Health | 20 | 27.2 | 45.3 | 40 | 2000 2040 | | 2.00 | |
| Care Needs | 38 | 37.3 | 45.3 | 40 | 2009-2010 | percent | 2.00 | |
| Teen Fruit and Vegetable Consumption | 57 | 15.6 | | 22.3 | 2013 | percent | 2.00 | |
| Teens With Disordered Eating | 57 | 20 | 12.9 | | 2013 | percent | 2.00 | |
| Young Teens who Use Marijuana | 57 | 7.5 | 6 | | 2013 | percent | 2.00 | |
| Abstain From Sex- Teen Boys | 57 | 66.1 | 79.2 | | 2013 | percent | 1.88 | |
| Adolescent Use of Alcohol or Illicit Drugs | 40 | 18.1 | 16.6 | 15.9 | 2012-2013 | percent | 1.88 | |
| Adolescents who Consider School Work to Be Important | 40 | 27.5 | 29 | 30.7 | 2012-2013 | percent | 1.88 | |
| Illegal Drugs on School Property | 57 | 31.2 | 20.4 | 22.1 | 2013 | percent | 1.88 | |
| Smoke-Free High Schools | 44 | 79 | 100 | | 2012 | percent | 1.88 | |
| Smoke-Free Junior High Schools | 44 | 60 | 100 | | 2010 | percent | 1.88 | |
| Smoke-Free Middle Schools | 44 | 82.4 | 100 | | 2010 | percent | 1.88 | |
| Teens Exposed to Secondhand Smoke | 58 | 85.9 | 41 | | 2013 | percent | 1.88 | |
| Teens Who Ever Tried E-Cigarettes | 58 | 17.6 | | 11.9 | 2013 | percent | 1.88 | |
| Teens Who Had a Physical in the Past Year | 57 | 62.2 | 75.6 | | 2013 | percent | 1.88 | |
| Teens Who Meet Muscle-Strengthening Guidelines | 57 | 46.3 | | 51.7 | 2013 | percent | 1.88 | |
| Teens Who Often See Tobacco Ads in Magazines or | | | | | | • | | |
| Newspapers | 58 | 47.4 | 19.3 | | 2013 | percent | 1.88 | |
| Teens Who Often See Tobacco Ads on the Internet | 58 | 48.8 | 33.1 | | 2013 | percent | 1.88 | |
| Teens Who Use E-Cigarettes | 58 | 10 | | 4.5 | 2013 | percent | 1.88 | |
| Young Teens Exposed to Secondhand Smoke | 58 | 92.2 | 41 | | 2013 | percent | 1.88 | |
| Young Teens Who Ever Tried E-Cigarettes | 58 | 7.9 | | 3 | 2013 | percent | 1.88 | |
| Young Teens Who Had a Physical in the Past Year | 57 | 46 | 75.6 | | 2013 | percent | 1.88 | |
| Young Teens Who Often See Tobacco Ads in Magazines or Newspapers | 58 | 42.5 | 19.3 | | 2013 | percent | 1.88 | |
| Young Teens Who Often See Tobacco Ads on the Internet | 58 | 43.1 | 33.1 | | 2013 | percent | 1.88 | |
| Young Teens Who Smoke Tobacco in a Hookah | 58 | 1.4 | JJ. 1 | 1.1 | 2013 | percent | 1.88 | Black (2.9) NH (3.2) CHN (2.2) Other (1.9) |
| Young Teens Who Use E-Cigarettes | 58 | 5.5 | | 1.1 | 2013 | percent | 1.88 | Black (8) NH (10.2) Other (6) |
| Abstain From Sex- Teen Girls | 57 | 62.3 | 80.2 | ••• | 2013 | percent | 1.75 | (-, (, (|

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | 0 | Hawaii | LIDOGGO | N - 4! | Measurement | 11-4- | 0 | High David Diamonto |
|---|--------|--------|---------|--------|-------------|------------------------------------|-------|---------------------|
| TEEN & ADOLESCENT HEALTH (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity |
| Adolescents who Use Inhalants | 40 | 3.7 | | 2.3 | 2012-2013 | percent | 1.75 | |
| Feens with More Than 3 Hours of Computer/Video Game Fime | 57 | 42.1 | | 41.3 | 2013 | percent | 1.75 | |
| Abstain From Sex- Young Teen Boys | 57 | 90.5 | 92.7 | | 2013 | percent | 1.63 | |
| nitiation of Use of Smokeless Tobacco Among Teens | 40 | 0.9 | 0.6 | 1.8 | 2012-2013 | percent | 1.63 | |
| nitiation of Use of Smokeless Tobacco Among Young | 40 | 0.9 | 0.2 | 1.4 | 2012-2013 | percent | 1.63 | |
| ntimate Partner Violence Among Teens | 57 | 11.1 | | 10.3 | 2013 | percent | 1.63 | |
| Schools Requiring Education on Unintentional Injury | 44 | 87 | 89.9 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Accessing Health Information | 44 | 92.1 | 100 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Advocating for Health | 44 | 91.2 | 100 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Health Promotion, Disease Prevention | 44 | 93.6 | 100 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Health-Enhancing Behaviors | 44 | 97.6 | 100 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Healthy Decision- | 44 | 96.4 | 100 | | 2012 | percent | 1.63 | |
| Schools with Health Education Goals- Influences on Health | 44 | 92.4 | 100 | | 2012 | percent | 1.63 | |
| chools with Health Education Goals- Interpersonal | 44 | 95.2 | 100 | | 2012 | percent | 1.63 | |
| eens who are Cyberbullied | 57 | 15.6 | | 14.8 | 2013 | percent | 1.63 | |
| eens Who Texted or Emailed While Driving | 57 | 43.3 | | 41.4 | 2013 | percent | 1.63 | |
| bstain From Sex- Young Teen Girls | 57 | 92.3 | 93.9 | | 2013 | percent | 1.50 | |
| Adolescents who Participate in Extracurricular Activities | 39 | 85.7 | 90.6 | 82.7 | 2011-2012 | percent | 1.50 | |
| Binge Drinking Among Teen Boys | 57 | 10.6 | 8.6 | 22 | 2013 | percent | 1.50 | |
| Binge Drinking Among Teen Girls | 57 | 12.9 | 8.6 | 19.6 | 2013 | percent | 1.50 | |
| eens who are Bullied | 57 | 18.7 | 17.9 | 19.6 | 2013 | percent | 1.50 | |
| eens Who Use Sunscreen | 57 | 10.7 | 11.2 | 10.1 | 2013 | percent | 1.50 | |
| Deaths Among Adolescents Aged 10-14 Years | 27 | 13.5 | 14.8 | 14.1 | 2011-2013 | deaths/100,000 population 10-14 | 1.38 | NHPI (69.4) |
| Schools Requiring Education on Alcohol and Other Drug Jse | 44 | 90.7 | 89.9 | | 2012 | percent | 1.38 | |
| Schools Requiring Education on Dietary Behaviors and Nutrition | 44 | 94.1 | 92.7 | | 2012 | percent | 1.38 | |
| Schools Requiring Education on Physical Activity and itness | 44 | 95.2 | 87.1 | | 2012 | percent | 1.38 | |
| schools Requiring Education on Tobacco Use and addiction | 44 | 90 | 89.1 | | 2012 | percent | 1.38 | |
| schools Requiring Education on Violence Prevention | 44 | 91.9 | 90.1 | | 2012 | percent | 1.38 | |
| eens Who Often See Tobacco Ads at Stores or Gas tations | 58 | 75.6 | 77.1 | | 2013 | percent | 1.38 | |
| eens who Use Marijuana | 57 | 18.9 | 6 | 23.4 | 2013 | percent | 1.38 | |
| eens with 2 Hours or Less of TV Time | 57 | 70.7 | 73.9 | 67.5 | 2013 | percent | 1.38 | |
| Teens with a Healthy Body Weight | 57 | 71.8 | | | 2013 | percent | 1.38 | |
| Young Teens who Engage in Regular Physical Activity | 57 | 52.6 | | | 2013 | percent | 1.38 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII
Data Scoring Appendix: Indicator Scores by Topic

| TEEN & ADOLESCENT HEALTH (CONTINUED) | Source | Hawaii State | HP2020 | Nation | Measurement Period | Units | Score | High Race Disparity* |
|--|--------|-----------------|--------|--------|-----------------------|---|-------|-----------------------------------|
| Young Teens who Meet Aerobic Physical Activity Guidelines | 57 | 32 | | | 2013 | percent | 1.38 | |
| Schools Prohibiting Harassment Based on Sexual Orientation | 44 | 92.7 | 92.2 | 87.4 | 2012 | percent | 1.25 | |
| Teens who Engage in Regular Physical Activity | 57 | 40.2 | | 41.9 | 2013 | percent | 1.25 | |
| Teens Who Never Used Illicit Drugs | 57 | 56.4 | 58.6 | 50.1 | 2013 | percent | 1.25 | |
| Teens Who Often See Actors Using Tobacco on TV and in Movies | 58 | 74.6 | 69.8 | | 2013 | percent | 1.25 | |
| Teens who Watch 3+ Hours of Television | 57 | 29.3 | | 32.5 | 2013 | percent | 1.25 | |
| Young Teens Who Often See Actors Using Tobacco on TV and in Movies | 58 | 67.5 | 69.8 | | 2013 | percent | 1.25 | |
| Initiation of Use of Cigarettes Among Young Adults | 40 | 2.9 | 6.4 | 3.2 | 2012-2013 | percent | 1.13 | |
| Initiation of Use of Cigars Among Young Adults | 40 | 3.4 | 4.3 | 3.7 | 2012-2013 | percent | 1.13 | |
| Schools Requiring Education on Pregnancy, HIV, and STD Prevention | 44 | 85.6 | 43.2 | - | 2012 | percent | 1.13 | |
| Schools Requiring Education on Suicide Prevention | 44 | 71 | 48.3 | | 2012 | percent | 1.13 | |
| Teens Who Ever Tried Tobacco in a Hookah | 58 | 8.3 | 40.3 | 14.3 | 2012 | percent | 1.13 | |
| Teens Who Saw a Dentist in the Past Year | 57 | 70.3 | 49 | 14.5 | 2013 | percent | 1.13 | |
| Teens Who Smoke Tobacco in a Hookah | 58 | 3.3 | 43 | 5.2 | 2013 | percent | 1.13 | White (5) NH (5.2) Other (3.6) |
| Young Teens Who Ever Tried Tobacco in a Hookah | 58 | 2.4 | | 3 | 2013 | percent | 1.13 | Black (4.3) NH (4.6) PI (2.6) |
| Young Teens Who Often See Tobacco Ads at Stores or Gas Stations | 58 | 67.1 | 77.1 | | 2013 | percent | 1.13 | Black (4.0) 111 (4.0) 11 (2.0) |
| Young Teens Who Saw a Dentist in the Past Year | 57 | 61.5 | 49 | | 2013 | percent | 1.13 | |
| Young Teens Who Smoke Cigarettes | 57 | 5.2 | | | 2013 | percent | 1.13 | NH (5.7) PI (12.9) |
| Illegal Tobacco Sales to Minors | 46 | 4.2 | 5 | | 2013 | percent | 1.00 | |
| Teen Birth Rate | 27 | 25 | | 26.5 | 2013 | births/1,000 women aged 15- 19 years | 1.00 | Black (28.7) NHPI (123.7) |
| Teens who are Overweight | 57 | 14.9 | | 16.6 | 2013 | percent | 1.00 | |
| Teens who have Used Methamphetamines | 57 | 4.3 | | 10.6 | 2013 | percent | 1.00 | |
| Teens Who Tried to Quit Smoking | 57 | 64.8 | 64 | 49.9 | 2011 | percent | 1.00 | |
| Teens who Use Alcohol | 57 | 25.2 | | 34.9 | 2013 | percent | 1.00 | |
| Teens who are Obese | 57 | 13.4 | 16.1 | 13.7 | 2013 | percent | 0.88 | NH (19.26) PI (31.18) FIL (13.83) |
| Teens Who Carried a Weapon at School | 57 | 4.2 | 4.6 | 5.4 | 2011 | percent | 0.88 | |
| Children and Adolescents who are Obese | 39 | 11.5 | 14.5 | 15.7 | 2011-2012 | percent | 0.75 | |
| Pre-Teens who are Obese | 39 | 13.2 | 15.7 | 19.1 | 2011-2012 | percent | 0.75 | |
| Teens who Drink Non-Diet Soda or Pop at Least Once Per Day | 57 | 15.8 | | 27 | 2013 | percent | 0.75 | |
| Teens who Smoke Cigars | 57 | 6.8 | 8 | 13.1 | 2011 | percent | 0.75 | White (11.6) NH (7.4) PI (13.9) |
| Teens who Use Smokeless Tobacco | 57 | 3.5 | 6.9 | 7.7 | 2011 | percent | 0.75 | White (5.7) NH (3.7) PI (12.6) |
| Teens who Use Tobacco | 57 | 14.5 | 21 | 23.4 | 2011 | percent | 0.75 | |
| Deaths Among Adolescents Aged 15-19 Years | 27 | 39.8 | 54.3 | 44.8 | 2013 | deaths/100,000 population 15-19 | 0.63 | Asian (41.1) NHPI (156.5) |
| Initiation of Use of Cigarettes Among Teens | 40 | 2.8 | 4.3 | 3.9 | 2012-2013 | percent | 0.63 | |
| Physical Fighting Among Teens | 57 | 16.7 | 28.4 | 24.7 | 2013 | percent | 0.63 | |
| Teens Who Never Drank Alcohol | 57 | 47.5 | 30.5 | 33.8 | 2013 | percent | 0.63 | |
| Teens Who Smoke Cigarettes | 57 | 10.4 | 16 | 15.7 | 2013 | percent | 0.63 | |
| Initiation of Use of Cigars Among Teens | 40 | 1.7 | 2.9 | 3.2 | 2012-2013 | percent | 0.38 | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



STATE OF HAWAII

Data Scoring Appendix: Indicator Scores by Topic

| Data Scoring Appendix: Indicator Scores by Topic | | Hawaii | | | Measurement | | | |
|--|--------|--------|--------|--------|-------------|--|-------|----------------------|
| TEEN & ADOLESCENT HEALTH (CONTINUED) | Source | State | HP2020 | Nation | Period | Units | Score | High Race Disparity* |
| Pregnancies Among Females Aged 15-17 Years | 27 | 18 | 36.2 | 30.1 | 2012 | pregnancies/1,000 females aged 15-17 | 0.38 | |
| Pregnancies Among Females Aged 18-19 Years | 27 | 72.1 | 105.9 | 96.2 | 2012 | pregnancies/1,000 females aged 18-19 | 0.38 | |
| Violent Crime Perpetrated by Adolescents and Young Adults | 54 | 238 | 399.6 | 344.5 | 2012 | arrests per 100,000 people aged 10-24 years | 0.38 | |
| TRANSPORTATION | | | | | | | | |
| Mean Travel Time to Work | 2 | 26 | | 25.5 | 2009-2013 | minutes | 2.13 | |
| Solo Drivers with a Long Commute | 10 | 38.9 | | | 2008-2012 | percent | 1.88 | |
| Hospitalization Rate due to Motor Vehicle Collisions | 17 | 63.6 | | | 2009 | hospitalizations/100,000 population | 1.13 | |
| Workers Commuting by Bicycling | 2 | 8.0 | 0.6 | 0.6 | 2011 | percent | 0.75 | |
| Workers who Walk to Work | 2 | 4.7 | 3.1 | 2.8 | 2009-2013 | percent | 0.25 | |
| Workers Commuting by Public Transportation | 2 | 6.4 | 5.5 | 5 | 2009-2013 | percent | 0.00 | |
| WELLNESS & LIFESTYLE | | | | | | | | |
| Adults Who Get Sufficient Sleep | 5 | 58.5 | 70.8 | 69.3 | 2013 | percent | 2.25 | |
| Teens Who Get Sufficient Sleep | 57 | 26.8 | 33.1 | 31.7 | 2013 | percent | 2.25 | |
| Teens with 2 Hours or Less of Computer and Video Game Time | 57 | 57.9 | 82.6 | 58.7 | 2013 | percent | 2.13 | |
| Teens with More Than 3 Hours of Computer/Video Game Time | 57 | 42.1 | | 41.3 | 2013 | percent | 1.75 | |
| Adolescents who Participate in Extracurricular Activities | 39 | 85.7 | 90.6 | 82.7 | 2011-2012 | percent | 1.50 | |
| Teens with 2 Hours or Less of TV Time | 57 | 70.7 | 73.9 | 67.5 | 2013 | percent | 1.38 | |
| Self-Reported Health Status of Good or Better | 5 | 86.2 | | 83.3 | 2013 | percent | 1.25 | |
| Teens who Watch 3+ Hours of Television | 57 | 29.3 | | 32.5 | 2013 | percent | 1.25 | |
| Adults with Hypertension with Controlled Blood Pressure | 55 | 62.8 | 61.2 | 63.6 | 2013 | percent | 1.13 | |
| Self-Reported Good Physical and Mental Health | 5 | 55.6 | - | 49.6 | 2013 | percent | 1.13 | |
| Life Expectancy for Females | 32 | 83.5 | | 80.8 | 2010 | years | 1.00 | |
| Life Expectancy for Males | 32 | 77.9 | | 76.1 | 2010 | years | 1.00 | |
| WOMEN'S HEALTH | | | | | | | | |
| Breast Cancer Incidence Rate | 34 | 126 | | 122.7 | 2007-2011 | cases/100,000 females | 1.88 | |
| Chlamydia Among Females | 25 | 649.9 | | 456.7 | 2012 | cases/100,000 females | 1.75 | |
| Pap Test History | 5 | 79.1 | 93 | 78 | 2013 | percent | 1.75 | |
| Preventive Services for Older Women | 5 | 40.2 | 46.8 | 39.2 | 2013 | percent | 1.75 | |
| Cervical Cancer Death Rate | 27 | 2.3 | 2.2 | 2.3 | 2011-2013 | deaths/100,000 females | 1.63 | NHPI (11.2) |
| Mammogram History | 5 | 80.4 | | 74 | 2013 | percent | 1.25 | |
| Cervical Cancer Incidence Rate | 34 | 7.3 | | 7.8 | 2007-2011 | cases/100,000 females | 1.13 | |
| HPV Vaccination | 5 | 11.9 | | 10.6 | 2013 | percent | 1.13 | |
| Gonorrhea Among Females | 25 | 43.6 | | 108.7 | 2012 | cases/100,000 females | 1.00 | |
| Life Expectancy for Females | 32 | 83.5 | | 80.8 | 2010 | years | 1.00 | |
| Syphilis Among Females | 25 | 0.3 | 1.3 | 0.3 | 2012 | cases/100,000 females | 1.00 | |
| Breast Cancer Death Rate | 27 | 15.1 | 20.7 | 20.8 | 2013 | deaths/100,000 females | 0.88 | NHPI (65.9) |
| | | | | | | | | |

^{*} AIAK = American Indian/Alaskan Native, NH = Native Hawaiian, PI = Pacific Islander, API = Asian or Pacific Islander, NHPI = Native Hawaiian/Pacific islander, JPN = Japanese, CHN = Chinese, FIL = Filipino, Mult = Multiracial, Hisp = Hispanic/Latino



Appendix B. Key Informant Interviews

Between October 2014 and February 2015, Storyline Consulting conducted key informant interviews with community health experts in the State of Hawaii. The following questions were used to guide the conversations.

Q1: Could you tell me a little bit about yourself, your background, and your organization?

Q2: You were selected for this interview because of your specialized knowledge in the area of [topic area]. What are the biggest needs or concerns in this area?

Q3: What is the impact of this health issue on low income, underserved/uninsured persons?

Q4: Could you speak to the impact on different ethnic groups of this health concern?

Q5: Could you tell me about some of the strengths and resources in your community that address [topic area], such as groups, initiatives, services, or programs? What about the barriers to receiving care in the community?

Collect Resource Info:

- Resource Name
- Serves which geography
- Resource Type (clinic, hotline, etc.)
- Topic Focus Areas
- Serves Low-Income, Underserved/Uninsured
- Focus on minority Race/Ethnic groups

Q6: Are there opportunities for larger collaboration with hospitals and/or the health department that you want us to take note of?

Q7: What advice do you have for a group developing a community health improvement plan to address these needs?

Q8: What are the other major health needs/issues you see in the community?





Appendix C. Community Resources

Community Resources Identified through Key Informant Interviews

| County | Community Resource | For more information: |
|--------|---|---|
| All | Affordable Housing and Homeless Alliance | http://www.hawaiihomeless.org/ |
| All | Blue Zones Project | https://hawaii.bluezonesproject.com/ |
| All | Community Health Centers | http://www.hawaiipca.net/6/community-health-centers |
| All | Connecting for Success | http://www.hawaiicommunityfoundation.org/community-impact/connecting-for-success |
| All | Federally Qualified Healthcare Centers | https://npidb.org/organizations/ambulatory_health_care/fe derally-qualified-health-center-fqhc_261qf0400x/hi/ |
| All | Gregory House | http://www.gregoryhouse.org/ |
| All | Hale Kipa | https://www.halekipa.org/ |
| All | Hawai'ian Islands Oral Health Task Force | http://www.hawaiipca.net/41/dental |
| All | Hawaii Disability Rights Center - Client Assistance Program | http://www.hawaiidisabilityrights.org/programs_cap.aspx |
| All | Hawaii Families As Allies | http://www.hfaa.net/ |
| All | Hawaii Health Information Exchange | https://www.hawaiihie.org/ |
| All | Hawaii Health Systems Corporation | http://www.hhsc.org/ |
| All | Hawaii Initiative for Childhood Obesity Research and Education (HICORE) | http://www.hicore.org/ |
| All | Hawaii Medical Services Association | https://www.hmsa.com/ |
| All | Hawaiian Community Assets | www.hawaiiancommunity.net/ |
| All | Hina Mauka | http://hinamauka.org/ |
| All | HOPE Services Hawaii | http://hopeserviceshawaii.org/ |
| All | Injury Prevention Advisory Committee | http://health.hawaii.gov/injuryprevention/home/partnership s/injury-prevention-advisory-committee-ipac/ |
| All | Keiki Injury Prevention Coalition | http://kipchawaii.org/ |
| All | Legal Aid Society of Hawaii | http://www.legalaidhawaii.org/ |
| All | Life Foundation for HIV | http://lifefoundationorg.ipage.com/ |
| All | McKenna Recovery Center | http://www.mckennarecoverycenter.com/ |





| All | Micronesian Community Network | http://micronesiancommunitynetwork.blogspot.com/ |
|----------|--|---|
| All | PACT: Parents and Children Together | http://www.pacthawaii.org/ |
| All | Pono Choices | http://www.cds.hawaii.edu/ponochoices/ |
| All | Special Supplemental Nutrition Program for Women, Infants and Children (WIC) | http://health.hawaii.gov/wic/ |
| All | Substance Abuse Treatment Centers | http://health.hawaii.gov/substance-abuse/prevention-treatment/treatment-services/ |
| All | University of Hawaii Center on the Family | http://uhfamily.hawaii.edu/ |
| Hawaii | Big Island Substance Abuse Council | http://www.bisac.org/ |
| Hawaii | Community First | http://www.hawaiiwellbeing.org/ |
| Hawaii | East Hawaii Coalition for the Homeless | http://nationalhomeless.org/references/directory/organization/East+Hawaii+Coalition+for+the+Homeless/ |
| Hawaii | Food Basket, Hawaii Island's Food Bank | http://www.hawaiifoodbasket.org/ |
| Hawaii | Hawaii Island Healthcare Alliance | http://hawaiihealthcarealliance.org/ |
| Hawaii | Hui Mālama Ola Nā 'Ōiwi | http://huimalamaolanaoiwi.org/ |
| Hawaii | Ka'u Rural Health Community Association | http://krhcai.com/ |
| Hawaii | North Hawaii Hospice | http://northhawaiihospice.org/ |
| Hawaii | North Kohala Community Resource Center | http://www.northkohala.org/ |
| Honolulu | HCAP Head Start | http://www.hcapweb.org/headstart/ |
| Honolulu | Kaʻala Farm | http://www.malamalearningcenter.org/index.php/resource s/mlc-partners/38-kaala-farm |
| Honolulu | Kapolei Keiki Smile Center | http://www.wcchc.com/Services/Dental-Care-Waianae- Kapolei-Children-Adult |
| Honolulu | Kokua Kalihi Valley Comprehensive Family Services | http://www.kkv.net/ |
| Honolulu | Mala 'Ai 'Opio Community Food Systems Initiative (MA'O) | http://www.maoorganicfarms.org/ |
| Honolulu | PAU Violence Program | https://www.facebook.com/PAUViolence |
| Honolulu | Waianae Dental Clinic | http://www.wcchc.com/Services/Dental-Care-Waianae- Kapolei-Children-Adult |
| Honolulu | Waikiki Health | http://waikikihc.org/ |
| Honolulu | Waimanalo Market Co-op | http://www.waimanalomarket.com/ |
| Kauai | County of Kauai Paratransit Services | http://www.kauai.gov/Government/Departments/Transport ationAgency/ParatransitService/tabid/574/Default.aspx |





| | | http://www.kauai.gov/Government/Departments/ParksRec |
|-------|---|---|
| Kauai | County of Kauai Senior Programs | reation/SeniorPrograms/tabid/466/Default.aspx |
| Kauai | Ho'ola Lahui Hawai'i, Kauai Community Health Center - Dental Services | http://www.hoolalahui.org/healthclinics/dentalservices.htm |
| Kauai | Kauai Food Bank | http://www.kauaifoodbank.org/ |
| Kauai | Mālama Pono Health Services | http://malama-pono.org/ |
| Maui | Aloha House | http://www.aloha-house.org/ |
| Maui | Boys & Girls Club of Maui | http://www.bgcmaui.org/page142430.aspx |
| Maui | CFS Neighborhood Place of Wailuku | http://www.childandfamilyservice.org/cfs2.php?id1=48#wa iluku |
| Maui | Hale Mahaolu | http://halemahaolu.org/ |
| Maui | Hāna Health | http://hanahealth.org/ |
| Maui | Hospice Maui | http://hospicemaui.org/ |
| Maui | Imua family Services | http://imuafamilyservices.org/ |
| Maui | Kaunoa Senior Services | http://www.co.maui.hi.us/departments/Housing/kaunoa.ht m |
| Maui | Ke Ola Hou O Lana`i | http://www.lanai96763.com/resource/ke-ola-hou-o-lanai |
| Maui | Maui Children's Justice Center | http://www.courts.state.hi.us/services/hawaii_childrens_justice_centers/maui.html |
| Maui | Maui Community Mental Health Centers | http://health.hawaii.gov/maui/community-mental-health-centers-cmhc/ |
| Maui | Maui County Office on Aging | http://www.co.maui.hi.us/departments/housing/aging.htm |
| Maui | Maui County Rural Shopping Shuttles | http://www.co.maui.hi.us/index.aspx?NID=620 |
| Maui | Maui District Health Office | http://health.hawaii.gov/maui/ |
| Maui | Maui Economic Opportunity | http://www.meoinc.org/ |
| Maui | Maui Family Support Services | http://mfss.org/ |
| Maui | Maui Youth and Family Services | http://www.myfs.org/ |
| Maui | Public Health Nursing | http://health.hawaii.gov/maui/public-health-nursing/ |
| Maui | Pūlama Lāna'i | http://www.pulamalanai.com/ |
| Maui | Women Helping Women | http://www.womenhelpingwomenmaui.com/ |





Medicare-Approved Healthcare Facilities, State of Hawaii

The following list presents select Provider of Services (POS) facilities identified by the Centers for Medicare & Medicaid Services for the State of Hawaii. However, it is not an exhaustive directory of all facilities in the state. For the most recent POS file, please visit: http://www.cms.gov/Research-Statistics-Data-and-Systems/Downloadable-Public-Use-Files/Provider-of-Services/index.html

| County | Facility Type | Facility Name | City | Street Address |
|--------|------------------------------|---|-------------|---------------------------------|
| Hawaii | Ambulatory Surgery Center | CLINICAL LABS OF HAWAII - HCSC | HILO | 82 PUUHONU PL, #204 |
| Hawaii | Ambulatory Surgery Center | HILO COMMUNITY SURGERY CENTER | HILO | 82 PUUHONU PL, #100 |
| Hawaii | Ambulatory Surgery Center | KONA AMBULATORY SURGERY CENTER LLC | KAILUA KONA | 75-5905 WALUA RD UNIT 4 |
| Hawaii | Community Clinic | HAWAII ISLAND FAMILY HLTH CNTR | HILO | 45 MOHOULI ST SUITE 101 |
| Hawaii | Community Clinic | HILO CBOC | HILO | 1285 WAIANUENUE AVE STE 211 |
| Hawaii | Community Clinic | HILO MEDICAL CENTER PAIN MANAGEMENT CLINIC | HILO | 1190 WAIANUEANUE AVENUE |
| Hawaii | Community Clinic | HILO MEDICAL CENTER PEDIATRIC CLINIC | HILO | 1190 WAIANUEANUE AVENUE |
| Hawaii | Community Clinic | WAIAKEA HEALTH CENTER | HILO | 191 KUAWA ST |
| Hawaii | Community Clinic | WAIAKEA HEALTH CENTER | HILO | 191 KUAWA |
| Hawaii | Community Clinic | EDNA K KRETZER, APRN | HOLUALOA | 76-5914B MALAMAHOA HWY |
| Hawaii | Community Clinic | ALI'I COMMUNITY CARE | KAILUA KONA | 78-6831 ALI'I DRIVE, STE 328 |
| Hawaii | Community Clinic | ALI'I HEALTH CENTER | KAILUA KONA | 78-6831 ALI'I DRIVE, STE 422 |
| Hawaii | Community Clinic | ALII HEALTH CENTER PHARMACY | KAILUA KONA | 75-5995 KUAKINI HWY #213 |
| Hawaii | Community Clinic | KONA CBOC | KAILUA KONA | 75-5994 KUAKINI HWY |
| Hawaii | Community Clinic | PLANNED PARENTHOOD OF HAWAII | KAILUA KONA | 75 184 HUALALAI RD STE 205 |





| HawaiiCommunity ClinicPUNA COMMUNITY MED CNTRPAHOA15-2662 PAHOA VILLAGE RD #303HawaiiEnd Stage Renal Disease DialysisLIBERTY DIALYSIS HAWAII LLCHILO140 RAINBOW DRHawaiiEnd Stage Renal Disease DialysisLIBERTY DIALYSIS HAWAII LLCKAILUA KONA78-6831 ALII DR SUITE 336HawaiiEnd Stage Renal Disease DialysisLIBERY DIALYSIS NORTH HAWAII LLCKAMUELA67-1123 MAMALAHOA HWYHawaiiFederally Qualified Health CenterHILO FAMILY HEALTH CENTERHILO1178 KINOOLE STHawaiiFederally Qualified Health CenterHILO WOMEN'S HEALTH CENTERHILO73 PU'UHONU PLHawaiiFederally Qualified Health CenterHAWAII COMMUNITY HEALTHKAILUA KONA45-549 PLUMERIA STREETHawaiiFederally Qualified Health CenterWEST HAWAII COMMUNITY HEALTHKAILUA KONA75-5751 KUAKINI HWY STEHawaiiFederally Qualified Health CenterKEA'AU FAMILY HEALTH CENTERKEAAU16-192 PILIMUA STHawaiiFederally Qualified Health CenterKEA'AU FAMILY HEALTH CONTERKEALAKEKUA81-6627 MAMALAHOA HWYHawaiiFederally Qualified Health CenterKA'U FAMILY HEALTH & DENTAL CTRNAALEHU95-5583 MAMALAHOA HWYHawaiiFederally Qualified Health CenterPAHOA FAMILY HEALTH CTRPAHOA15-2866 PAHOA VILLAGE RD BLDG C STE AHawaiiHome Health AgencyWEST HAWAII HOME HEALTH SVSCOOKGOYERNMENT RDHawaiiHome Health AgencyWEST HAWAII HOME HEALTH CAREHILO68 KEKUANAOA AVE SUITE 350Hawaii <th< th=""><th></th><th></th><th></th><th></th><th></th></th<> | | | | | |
|--|--------|--------------------|----------------------------------|-------------|---------------------------|
| Disease Dialysis Hawaii Stage Renal Disease Dialysis Hawaii End Stage Renal Disease Dialysis LIBERTY DIALYSIS HAWAII LLC KAILUA KONA 78-6831 ALII DR SUITE 336 Disease Dialysis LIBERY DIALYSIS NORTH HAWAII LLC KAMUELA 67-1123 MAMALAHOA HWY #112 Hawaii Federally Qualified Health Center Hawaii Federally Qualified KEA'AU FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST Hawaii Federally Qualified KEA'AU FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST Hawaii Federally Qualified Health Center Hawaii Federally Qualified KEA'AU FAMILY HEALTH CENTER NAALEHU 95-5583 MAMALAHOA HWY B-3 Hawaii Federally Qualified Ka'U FAMILY HEALTH CTR NAALEHU 95-5583 MAMALAHOA HWY B-3 Hawaii Federally Qualified Health Center Hawaii Federally Qualified Health Center Hawaii Federally Qualified Health Center Hawaii Home Health Agency WEST HAWAII HOME HEALTH CTR Hawaii Home Health Agency WEST HAWAII HOME HEALTH SVS CAPTAIN 82-5899 OLD COOK GOVERNMENT RD Hawaii Home Health Agency BCP INC DBA BAYADA HOME HEALTH CTR Hawaii Home Health Agency BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CARE HILO 1190 WAIANUENUE AVE BCP INC DBA BAYADA HOME HEALTH CA | Hawaii | <u> </u> | PUNA COMMUNITY MED CNTR | PAHOA | |
| Disease Dialysis End Stage Renal Disease Dialysis End Stage Renal Disease Dialysis Hawaii Federally Qualified Health Center KEA-U FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST Federally Qualified Health Center KEA-U FAMILY HEALTH CENTER KEALAKEKUA B-3 Federally Qualified Health Center KEIKI HC KA'U FAMILY HEALTH CENTER Hawaii Federally Qualified Health Center KEIKI HC KA'U FAMILY HEALTH CENTE NAALEHU 95-5583 MAMALAHOA HWY Federally Qualified Health Center Hawaii Federally Qualified Health Center Federally Qualified Federally Qualified Health Center Federally Qualified Health Cente | Hawaii | Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | HILO | 140 RAINBOW DR |
| HawaiiDisease DialysisLIBERY DIALYSIS NORTH HAWAII LLCKAMUELA#112HawaiiFederally Qualified Health CenterHILO FAMILY HEALTH CENTERHILO1178 KINOOLE STHawaiiFederally Qualified Health CenterHILO WOMEN'S HEALTH CENTERHILO73 PU'UHONU PLHawaiiFederally Qualified Health CenterHAMAKUA HEALTH CENTER - RHC CENTERHONOKAA45-549 PLUMERIA STREETHawaiiFederally Qualified Health CenterWEST HAWAII COMMUNITY HEALTH CENTERKAILUA KONA75-5751 KUAKINI HWY STEHawaiiFederally Qualified Health CenterKEA'AU FAMILY HEALTH CENTERKEAAU16-192 PILIMUA STHawaiiFederally Qualified Health CenterKEST HAWAII COMM HEALTH CNTR KEIKI HCKEALAKEKUA RE381-6627 MAMALAHOA HWY B-3HawaiiFederally Qualified Health CenterKA'U FAMILY HEALTH & DENTAL CTRNAALEHU95-5583 MAMALAHOA HWYHawaiiFederally Qualified Health CenterPAHOA FAMILY HEALTH CTRPAHOA15-2866 PAHOA VILLAGE RD BLDG C STE AHawaiiFederally Qualified Health CenterPAHOA WOMEN AND CHILDREN'S HEALTH CNTRPAHOA15-2866 PAHOA VILLAGE RD BLDG F SUITE AHawaiiHome Health AgencyWEST HAWAII HOME HEALTH SVSCAPTAIN COOK82-5899 OLD GOVERNMENT RDHawaiiHome Health AgencyWEST HAWAII HOME HEALTH CARE INCHILO68 KEKUANAOA AVE SUITE 350HawaiiHome Health AgencyHILO MED CENTER HOME CARE HILO MED CENTER HOME CARE HILOHILO1190 WAIANUENUE AVE | Hawaii | | LIBERTY DIALYSIS HAWAII LLC | KAILUA KONA | 78-6831 ALII DR SUITE 336 |
| Health Center Hawaii Federally Qualified Health Center KEA'AU FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST Hawaii Federally Qualified Health Center KEIKI HC KEALAKEKUA 81-6627 MAMALAHOA HWY REIKI HC KEORAMILY HEALTH CENTER KEALAKEKUA 81-6627 MAMALAHOA HWY REIKI HC KEALAKEKUA 81-6627 MAMALAHOA HWY REIKI HC REALAKEKUA | Hawaii | | LIBERY DIALYSIS NORTH HAWAII LLC | KAMUELA | |
| Hawaii Federally Qualified Health Center KEA'AU FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST Health Center KEIKI HC KEALAKEKUA HEALTH CENTER KEAAU 16-192 PILIMUA ST Health Center KEIKI HC KEALAKEKUA HEALTH CENTER KEAAU 16-192 PILIMUA ST Health Center KEIKI HC KEALAKEKUA HEALTH CENTER KEAAU 16-192 PILIMUA ST Health Center KEIKI HC KEALAKEKUA HEALTH CENTER KEAAU 16-192 PILIMUA ST Health Center KEIKI HC KEALAKEKUA HEALTH CENTER NAALEHU 95-5583 MAMALAHOA HWY HEALTH CENTER PAHOA 15-2866 PAHOA VILLAGE RD BLDG C STE A HEALTH CENTER PAHOA NOMEN AND CHILDREN'S PAHOA 15-2866 PAHOA VILLAGE RD BLDG C STE A HEALTH CENTER PAHOA MOMEN AND CHILDREN'S PAHOA 15-2866 PAHOA VILLAGE RD BLDG F SUITE A HEALTH CENTER PAHOA MOMEN AND CHILDREN'S PAHOA 15-2866 PAHOA VILLAGE RD BLDG F SUITE A HEALTH CENTER PAHOA MOMEN AND CHILDREN'S PAHOA 15-2866 PAHOA VILLAGE RD BLDG F SUITE A HEALTH CONTR COOK GOVERNMENT RD GOVERNMENT RD GOVERNMENT RD GOVERNMENT RD HEALTH CENTER HOME CARE HILO 1190 WAIANUENUE AVE CARE INC SUITE 350 Hawaii Home Health Agency HILO MED CENTER HOME CARE HILO 1190 WAIANUENUE AVE CARE INC 75-100 HENRY ST SUITE 205 Hawaii Home Health Agency INTERIM HEALTHCARE / KAILUA-KONA 75-100 HENRY ST SUITE 205 | Hawaii | Health Center | HILO FAMILY HEALTH CENTER | HILO | 1178 KINOOLE ST |
| Health Center HAMARUA HEALTH CENTER - RHC HONORAA 45-549 PLOMERIA STREET Federally Qualified Health Center CENTER KAILUA KONA 75-5751 KUAKINI HWY STE 105 Hawaii Federally Qualified Health Center KEA'AU FAMILY HEALTH CENTER KEAAU 16-192 PILIMUA ST 105 Hawaii Federally Qualified WEST HAWAII COMM HEALTH CNTR KEALAKEKUA B-3 81-6627 MAMALAHOA HWY B-3 81-662 | Hawaii | Health Center | HILO WOMEN'S HEALTH CENTER | HILO | 73 PU'UHONU PL |
| Health Center CENTER Hawaii Federally Qualified Health Center Hawaii Federally Qualified Health Center Hawaii Federally Qualified Health Center KEIKI HC Hawaii Federally Qualified Health Center KEIKI HC Hawaii Federally Qualified Health Center Hawaii Home Health Agency WEST HAWAII HOME HEALTH SVS CAPTAIN 82-5899 OLD COOK GOVERNMENT RD Hawaii Home Health Agency BCP INC DBA BAYADA HOME HEALTH CHEALTH CONTER Hawaii Home Health Agency HILO MED CENTER HOME CARE HILO 1190 WAIANUENUE AVE CARE INC Hawaii Home Health Agency BCP INC DBA BAYADA HOME HEALTH KAILUA KONA 75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | | HAMAKUA HEALTH CENTER - RHC | HONOKAA | 45-549 PLUMERIA STREET |
| Health Center Hawaii Federally Qualified Health Center Federally Qualified Health Center KEA AU FAMILY HEALTH CENTER KEALAKEKUA Federally Qualified Health Center KEIKI HC KA'U FAMILY HEALTH & DENTAL CTR NAALEHU 95-5583 MAMALAHOA HWY Hawaii Federally Qualified Health Center PAHOA FAMILY HEALTH CTR PAHOA Federally Qualified Health Center Federally Qualified Health Center PAHOA WOMEN AND CHILDREN'S HEALTH CNTR PAHOA 15-2866 PAHOA VILLAGE RD BLDG C STE A Foderally Qualified Health Center PAHOA WOMEN AND CHILDREN'S HEALTH CNTR Federally Qualified Health Agency WEST HAWAII HOME HEALTH SVS CAPTAIN COOK GOVERNMENT RD BCP INC DBA BAYADA HOME HEALTH COOK Hawaii Home Health Agency HILO MED CENTER HOME CARE HILO 1190 WAIANUENUE AVE Hawaii Home Health Agency CARE INC Hawaii Home Health Agency INTERIM HEALTHCARE / KAILUA-KONA KAILUA KONA 75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | | | KAILUA KONA | |
| HawaiiHealth CenterKEIKI HCREALAKERUAB-3HawaiiFederally Qualified Health CenterKA'U FAMILY HEALTH & DENTAL CTRNAALEHU95-5583 MAMALAHOA HWYHawaiiFederally Qualified Health CenterPAHOA FAMILY HEALTH CTRPAHOA15-2866 PAHOA VILLAGE RD BLDG C STE AHawaiiFederally Qualified Health CenterPAHOA WOMEN AND CHILDREN'S HEALTH CNTRPAHOA15-2866 PAHOA VILLAGE RD BLDG F SUITE AHawaiiHome Health AgencyWEST HAWAII HOME HEALTH SVSCAPTAIN COOK82-5899 OLD GOVERNMENT RDHawaiiHome Health AgencyBCP INC DBA BAYADA HOME HEALTH CARE INCHILO68 KEKUANAOA AVE SUITE 350HawaiiHome Health AgencyHILO MED CENTER HOME CARE CARE INCHILO1190 WAIANUENUE AVEHawaiiHome Health AgencyBCP INC DBA BAYADA HOME HEALTH CARE INCKAILUA KONA75-100 HENRY ST SUITE 205HawaiiHome Health AgencyINTERIM HEALTHCARE / KAILUA-KONAKAILUA KONA75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | • | KEA'AU FAMILY HEALTH CENTER | KEAAU | 16-192 PILIMUA ST |
| Health Center Hawaii Federally Qualified Health Center Federally Qualified Health Center Hawaii Federally Qualified Health Center PAHOA WOMEN AND CHILDREN'S PAHOA CAPTAIN COOK GOVERNMENT RD Federally Qualified Health Agency WEST HAWAII HOME HEALTH SVS CAPTAIN COOK GOVERNMENT RD Federally Qualified Health Agency Federally Qualified HEALTH CNTR Federally Qualified HEALTH CNTR PAHOA Sederally BLDG C STE A To-2866 PAHOA VILLAGE RD BLDG F SUITE A Be-1802 FS99 OLD COOK Federally Qualified RD BLDG F SUITE A Federally Qualified RD BLDG F SUITE A Federally Qualified RD BLDG C STE A To-2866 PAHOA VILLAGE RD BLDG C STE A To-2866 PAHOA To-2866 PAHOA VILLAGE RD BLDG C STE A To-2866 PAHOA To-2866 PAHOA VILLAGE RD BLDG C STE A To-2866 PAHOA To-2866 PAHOA VILLAGE RD BLDG C STE A To-2866 PAHOA To-2866 PAHO | Hawaii | | | KEALAKEKUA | |
| Health Center Federally Qualified Health Center Federally Qualified Health Center Health Agency Health Agency Health Center Health Agency Health Center Health Agency Health Center Health Agency Health Center Health Center Health Center Health Agency Health Center Health Center Health Center Heal | Hawaii | | KA'U FAMILY HEALTH & DENTAL CTR | NAALEHU | 95-5583 MAMALAHOA HWY |
| Hawaii Health Center HEALTH CNTR Hawaii Home Health Agency WEST HAWAII HOME HEALTH SVS CAPTAIN COOK GOVERNMENT RD BCP INC DBA BAYADA HOME HEALTH CARE INC Hawaii Home Health Agency HILO MED CENTER HOME CARE HAWAII Home Health Agency BCP INC DBA BAYADA HOME HEALTH CARE INC Hawaii Home Health Agency HILO MED CENTER HOME CARE HILO MAILUA KONA T5-100 HENRY ST SUITE 205 Hawaii Home Health Agency INTERIM HEALTHCARE / KAILUA-KONA KAILUA KONA T5-5995 KUAKINI HWY, #223 ORCHID | Hawaii | | PAHOA FAMILY HEALTH CTR | PAHOA | |
| HawaiiHome Health AgencyWEST HAWAII HOME HEALTH SVSCOOKGOVERNMENT RDHawaiiHome Health AgencyBCP INC DBA BAYADA HOME HEALTH CAREHILO68 KEKUANAOA AVE SUITE 350HawaiiHome Health AgencyHILO MED CENTER HOME CAREHILO1190 WAIANUENUE AVEHawaiiHome Health AgencyBCP INC DBA BAYADA HOME HEALTH CARE / KAILUA KONA75-100 HENRY ST SUITE 205HawaiiHome Health AgencyINTERIM HEALTHCARE / KAILUA-KONAKAILUA KONA75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | | | PAHOA | |
| Hawaii Home Health Agency CARE INC Hawaii Home Health Agency HILO MED CENTER HOME CARE HILO 1190 WAIANUENUE AVE Hawaii Home Health Agency BCP INC DBA BAYADA HOME HEALTH CARE INC Hawaii Home Health Agency INTERIM HEALTHCARE / KAILUA-KONA KAILUA KONA 75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | Home Health Agency | WEST HAWAII HOME HEALTH SVS | | |
| HawaiiHome Health AgencyBCP INC DBA BAYADA HOME HEALTH CARE INCKAILUA KONA75-100 HENRY ST SUITE 205HawaiiHome Health AgencyINTERIM HEALTHCARE / KAILUA-KONAKAILUA KONA75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | Home Health Agency | | HILO | |
| Hawaii Home Health Agency CARE INC 205 Hawaii Home Health Agency INTERIM HEALTHCARE / KAILUA-KONA KAILUA KONA 75-5995 KUAKINI HWY, #223 ORCHID | Hawaii | Home Health Agency | HILO MED CENTER HOME CARE | HILO | 1190 WAIANUENUE AVE |
| Hawaii Home Health Agency IN LERIM HEALTHCARE / KAILUA-KONA KAILUA KONA #223 ORCHID | Hawaii | | | KAILUA KONA | 205 |
| Hawaii Home Health Agency KOHALA HOME HEALTH CARE KAMUELA 67-1125 MAMALAHOA HWY | Hawaii | Home Health Agency | INTERIM HEALTHCARE / KAILUA-KONA | KAILUA KONA | |
| <u> </u> | Hawaii | Home Health Agency | KOHALA HOME HEALTH CARE | KAMUELA | 67-1125 MAMALAHOA HWY |





| Hawaii | Hospital | CLINICAL LABS OF HAWAII-HILO MED CENTR | HILO | 1190 WAIANUENUE AVENUE |
|----------|--|---|-------------|-------------------------------------|
| Hawaii | Hospital | CLINICAL LABS OF HAWAII-HONOKAA HOSP | HONOKAA | PO BOX 237 |
| Hawaii | Hospital | CLINICAL LABS OF HAWAII-KAMUELA BRANCH | KAMUELA | 65-1158 MAMALAHOA HWY SUITE 27B |
| Hawaii | Hospital | CLINICAL LABS OF HAWAII-KONA HOSPITAL | KEALAKEKUA | 79-1019 HAUKAPILA ST |
| Hawaii | Hospital | CLINICAL LABS OF HAWAII-KAU HOSPITAL | PAHALA | 1 KAMANI ST |
| Hawaii | Intermediate Care Facility/Individuals with Intellectual Disabilities | AVALON CARE CENTER VA HILO LLC | HILO | 1180 WAIANUENUE AVE |
| Hawaii | School/Student Health Service | UNIV OF HAWAII HILO COLLEGE OF PHARM | HILO | 200 W KAWILI ST |
| Hawaii | School/Student Health Service | UNIVERSITY OF HAWAII AT HILO | HILO | 200 W KAWILI ST, CAMPUS CTR #212 |
| Hawaii | Skilled Nursing/Nursing Facility | HALE ANUENUE RESTORATIVE CARE CTR | HILO | 1333 WAIANUENUE AVE |
| Hawaii | Skilled Nursing/Nursing Facility | LIFE CARE CENTER OF HILO | HILO | 944 WEST KAWAILANI ST |
| Hawaii | Skilled Nursing/Nursing Facility | HALE HO'OLA HAMAKUA | HILO | 45-547 PLUMERIA ST |
| Hawaii | Skilled Nursing/Nursing Facility | LIFE CARE CENTER OF KONA | KAILUA KONA | 78-6957 KAMEHAMEHA III RD |
| Honolulu | Ambulatory Surgery Center | ALOHA LABORATORIES INC | HONOLULU | 2036 HAU ST |
| Honolulu | Ambulatory Surgery Center | ASIA PACIFIC SURGERY CENTER LLC | HONOLULU | 1401 S BERETANIA ST, STE 890 |
| Honolulu | Ambulatory Surgery Center | CATARACT & VISION CENTER OF HAWAII | HONOLULU | 1712 LILIHA ST SUITE 400 |





| Honolulu | Ambulatory Surgery Center | HAWAII ENDOSCOPY CENTERS LLC | HONOLULU | 2226 LILIHA ST SUITE 307 |
|----------|------------------------------|--|------------|---|
| Honolulu | Ambulatory Surgery Center | HONOLULU SPINE CENTER LLC | HONOLULU | 500 ALA MOANA BLVD BLDG STE 1-301 |
| Honolulu | Ambulatory Surgery Center | HONOLULU SURGERY CENTER LP | HONOLULU | 550 S. BERETANIA STREET, SUITE 700 |
| Honolulu | Ambulatory Surgery Center | KAISER PERMANENTE HONOLULU MEDICAL OFFICE ASC | HONOLULU | 1010 PENSACOLA ST |
| Honolulu | Ambulatory Surgery Center | MINIMALLY INVASIVE SURGERY OF HAWAII | HONOLULU | 1401 S BERETANIA ST SUITE 600 |
| Honolulu | Ambulatory Surgery Center | MIS ENDOSCOPY LLC | HONOLULU | 1401 S BERETANIA ST SUITE 200 |
| Honolulu | Ambulatory Surgery Center | PACIFIC ASC LLC | HONOLULU | 650 IWILEI RD SPACE 225 |
| Honolulu | Ambulatory Surgery Center | SURGERY CENTER OF THE PACIFIC LLC | HONOLULU | 1401 S BERETANIA ST SUITE 420 |
| Honolulu | Ambulatory Surgery Center | SURGICAL SUITES, LLC, THE | HONOLULU | 1100 WARD AVENUE, SUITE 1001 |
| Honolulu | Ambulatory Surgery Center | WINDWARD SURGERY CENTER | KAILUA | 642 ULUKAHIKI ST #200 |
| Honolulu | Ambulatory Surgery Center | PACIFIC ENDOSCOPY CENTER | PEARL CITY | 1029 MAKOLU ST STE H,I,J |
| Honolulu | Ambulatory Surgery Center | HAWAIIAN EYE CENTER | WAHIAWA | 606 KILANI AVENUE |
| Honolulu | Community Clinic | DOCS ON CALL - HILTON HAW'N VILLAGE | HONOLULU | 2005 KALIA RD |
| Honolulu | Community Clinic | JOHNSTON ATOLL HEALTH CLINIC LAB | HONOLULU | 3049 UALENA ST #101 |
| Honolulu | Community Clinic | KALIHI PALAMA HLTH CARE FOR HOMELESS PROJECT - KOHOU CLINIC | HONOLULU | 904 KOHOU STREET |
| Honolulu | Community Clinic | KALIHI PALAMA HLTH CARE FOR HOMELESS - KAAAHI CLINIC | HONOLULU | 546 KAAAHI STREET |
| Honolulu | Community Clinic | KOKUA KALIHI VALLEY | HONOLULU | 2239 NORTH SCHOOL STREET |
| Honolulu | Community Clinic | LIFE FOUNDATION | HONOLULU | 677 ALA MOANA BLVD SUITE 226 |
| Honolulu | Community Clinic | THE QUEEN'S HEALTH CARE CENTERS | HONOLULU | 550 SOUTH BERETANIA STREET SUITE 401 |





| Honolulu | Community Clinic | QUEEN'S HEALTH CARE CENTERS – URGENT CARE | HONOLULU | 1860 ALA MOANA BLVD |
|----------|-------------------------------------|--|------------|--|
| Honolulu | Community Clinic | STATE OF HAWAII DEPT OF HEALTH STD | HONOLULU | 3627 KILAUEA AVE RM 305 |
| Honolulu | Community Clinic | THE QUEEN'S HEALTH CARE CENTERS | HONOLULU | 550 S BERETANIA ST SUITE 401 |
| Honolulu | Community Clinic | VA PACIFIC ISLAND HEALTH CARE SYSTEM | HONOLULU | 459 PATTERSON RD 2ND FL RM 2A03 |
| Honolulu | Community Clinic | CASTLE PROFESSIONAL CENTER | KANEOHE | 46-001 KAMEHAMEHA HWY SUITE 104 |
| Honolulu | Community Clinic | QUEEN'S HEALTH CARE CENTERS, THE | KAPOLEI | 599 FARRINGTON HWY #201 |
| Honolulu | Community Clinic | MILILANI FAMILY CLINIC | MILILANI | 95-1249 MEHEULA PKWY, #B-10 |
| Honolulu | Community Clinic | HEATHER L BOOKS, MD, MPH, TM | PEARL CITY | 98-1238 KAAHUMANU STREET SUITE 200 |
| Honolulu | Community Clinic | JAMES & ABIGAIL CAMPBELL CLINIC | WAIANAE | 87-2070 FARRINGTON HWY STE N |
| Honolulu | Community Clinic | STRAUB KAPOLEI FAMILY HEALTH CENTER | WAIANAE | 590 FARRINGTON HWY SUITE 526A |
| Honolulu | Community Clinic | WAIANAE DISTRICT COMPREHENSIVE | WAIANAE | 86-260 FARRINGTON HIGHWAY |
| Honolulu | Community Clinic | WCCHC WAIOLA SPECIALTY CLINIC | WAIANAE | 86-120 FARRINGTON HWY STE 305A |
| Honolulu | Community Clinic | WAIMANALO HEALTH CENTER | WAIMANALO | 41-1347 KALANIANAOLE HIGHWAY |
| Honolulu | Community Clinic | EKAHI URGENT CARE WAIPAHU | WAIPAHU | 94-229 WAIPAHU DEPOT ROAD SUITE 101 |
| Honolulu | Community Clinic | OAHU SUGAR FMLY HLTH CTR | WAIPAHU | 94-916 WAIPAHU STREET |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | AIEA | 98-1005 MOANALUA RD, #420 |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | EWA BEACH | 91-2137 FORT WEAVER RD |
| Honolulu | End Stage Renal Disease Dialysis | ST FRANCIS MEDICAL CENTER-ESRD | EWA BEACH | 91 2137 FORT WEAVER ROAD |
| Honolulu | End Stage Renal Disease Dialysis | DSI ALOHA DIALYSIS CENTER | HONOLULU | 1520 LILIHA ST, 1ST FLOOR |





| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | HONOLULU | 226 N KUAKINI STREET |
|----------|--------------------------------------|--|----------|---------------------------------------|
| Honolulu | End Stage Renal Disease Dialysis | DSI KAPAHULU DIALYSIS CENTER | HONOLULU | 750 PALANI AVENUE |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | HONOLULU | 2226 LILIHA ST |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | HONOLULU | 3625 HARDING AVE |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | HONOLULU | 2230 LILIHA STREET, BASEMENT LEVEL |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS LLC | KAILUA | 25 KANEOHE BAY DRIVE STE 230 |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | KANEOHE | 45-480 KANEOHE BAY DR, #D-09 |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | KANEOHE | 47-388 HUI IWA STREET 2ND FLOOR |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | KAPOLEI | 555 FARRINGTON HWY |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | WAHIAWA | 850 KILANI AVENUE |
| Honolulu | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | WAIANAE | 80-080 FARRINGTON HWY |
| Honolulu | End Stage Renal Disease Dialysis | DIALYSIS NEWCO INC | WAIPAHU | 94-862 KAHUILANI ST |
| Honolulu | Federally Qualified Health Center | KALIHI PALAMA HEALTH CENTER | HONOLULU | 915 NORTH KING ST |
| Honolulu | Federally Qualified Health Center | WAIKIKI HEALTH CENTER | HONOLULU | 277 OHUA AVE |
| Honolulu | Federally Qualified Health Center | KO'OLAULOA COMMUNITY HLTH AND WELLNESS CNTR | KAHUKU | 56-119 PUALALEA ST |
| Honolulu | Federally Qualified Health Center | KO'OLAULOA COMMUNITY HLTH AND WELLNESS CNTR | KAHUKU | 56-490 KAMEHAMEHA HWY ROOM R-104 |
| Honolulu | Federally Qualified Health Center | WAIANAE COAST COMP HLTH CNTR | WAIPAHU | 94-428 MOKUOLA STREET #108B |
| Honolulu | Home Health Agency | BCP INC DBA BAYADA HOME HEALTH CARE INC | HONOLULU | 615 PIIKOI ST SUITE 600 |





| Honolulu | Home Health Agency | BCP INC DBA BAYADA HOME HEALTH CARE INC | HONOLULU | 615 PIIKOI ST STE 601 |
|----------|--------------------|--|-----------|------------------------------------|
| Honolulu | Home Health Agency | CARE RESOURCE | HONOLULU | 680 IWILEI ROAD, SUITE 660 |
| Honolulu | Home Health Agency | CARE RESOURCE | HONOLULU | 702 S BERETANIA ST, 3RD FL #A |
| Honolulu | Home Health Agency | INTERIM HEALTHCARE / OAHU | HONOLULU | 1833 KALAKAUA AVENUE #107 |
| Honolulu | Home Health Agency | KAISER PERMANENTE HOME HEALTH AGENCY | HONOLULU | 2828 PA'A ST |
| Honolulu | Home Health Agency | KAPIOLANI HOME HEALTH SVS | HONOLULU | 55 MERCHANT STREET, 24TH FLOOR |
| Honolulu | Home Health Agency | KOKUA NURSES | HONOLULU | 1210 ARTESIAN ST #201 |
| Honolulu | Home Health Agency | MALUHIA HOME HEALTH | HONOLULU | 1027 HALA DR |
| Honolulu | Home Health Agency | OLSTEN HEALTHCARE | HONOLULU | 900 FORT STREET MALL SUITE 1202 |
| Honolulu | Home Health Agency | PRIME CARE SERVICES HAWAII | HONOLULU | 3375 KOAPAKA I-570 |
| Honolulu | Home Health Agency | STRAUB HOME HEALTH AGENCY | HONOLULU | 888 S KING ST |
| Honolulu | Home Health Agency | CASTLE HOME CARE | KANEOHE | 46-001 KAMEHAMEHA HIGHWAY #201 |
| Honolulu | Hospice | ST FRANCIS HOSPICE | HONOLULU | 24 PUIWA RD |
| Honolulu | Hospital | QUEEN'S MEDICAL CENTER WEST OAHU POCT, THE | EWA BEACH | 91-2141 FORT WEAVER ROAD |
| Honolulu | Hospital | THE QUEEN'S MEDICAL CENTER WEST OAHU LAB | EWA BEACH | 91-2135 FORT WEAVER RD |
| Honolulu | Hospital | THE QUEEN'S MEDICAL CENTER WEST OAHU PATHOLOGY | EWA BEACH | 91-2135 FORT WEAVER ROAD |
| Honolulu | Hospital | CLINICAL LABS OF HAWAII-KAPIOLANI MCWC | HONOLULU | 1319 PUNAHOU ST, BASEMENT |
| Honolulu | Hospital | DIAGNOSTIC LABORATORY SERVICES - QMC | HONOLULU | 1301 PUNCHBOWL ST |
| Honolulu | Hospital | KAISER PERM MOANALUA MED CNTR REGIONAL LAB | HONOLULU | 3288 MOANALUA RD |
| Honolulu | Hospital | KAISER PERMANENTE STAT LABORATORY | HONOLULU | 3288 MOANALUA RD |





| Honolulu | Hospital | KUAKINI MEDICAL CENTER-CLINICAL LAB | HONOLULU | 347 NORTH KUAKINI STREET |
|----------|--|---|------------|--|
| Honolulu | Hospital | LEAHI HOSPITAL CLINICAL LABORATORY | HONOLULU | 3675 KILAUEA AVENUE |
| Honolulu | Hospital | POL STRAUB CLINIC & HOSPITAL | HONOLULU | 888 S KING STREET |
| Honolulu | Hospital | QUEEN'S MEDICAL CENTER NUCLEAR MED DEPT | HONOLULU | 1301 PUNCHBOWL ST |
| Honolulu | Hospital | QUEENS MEDICAL CENTER - PATHOLOGY | HONOLULU | 1301 PUNCHBOWL STREET IOLANI 4TH FLOOR |
| Honolulu | Hospital | SELECT SPECIALTY HOSPITAL- HONOLULU INC | HONOLULU | 1301 PUNCHBOWL STREET, 3RD FLOOR |
| Honolulu | Hospital | SHRINERS HOSPITAL FOR CHILDREN/ HONOLULU | HONOLULU | 1310 PUNAHOU ST |
| Honolulu | Hospital | KAHUKU MEDICAL CENTER | KAHUKU | 56-117 PUALALEA ST |
| Honolulu | Hospital | CASTLE MEDICAL CENTER | KAILUA | 640 ULUKAHIKI ST |
| Honolulu | Hospital | HAWAII STATE HOSPITAL CLINICAL LAB | KANEOHE | 45-710 KEAAHALA ROAD |
| Honolulu | Hospital | WAHIAWA GENERAL HOSPITAL | WAHIAWA | 128 LEHUA |
| Honolulu | Intermediate Care Facility/Individuals with Intellectual Disabilities | ARC IN HAWAII, THE | HONOLULU | 3989 DIAMOND HEAD RD |
| Honolulu | Intermediate Care Facility/Individuals with Intellectual Disabilities | WAIMANO TRAINING SCHOOL & HOSPITAL | PEARL CITY | 2201 WAIMANO HOME RD |
| Honolulu | Intermediate Care Facility/Individuals with Intellectual Disabilities | OPPORTUNITIES AND RESOURCES INC | WAHIAWA | 64-1510 KAMEHAMEHA HWY |
| Honolulu | Rural Health Clinic | KAPOLEI HEALTH CARE CENTER | KAPOLEI | 599 FARRINGTON HWY STE 100 |
| Honolulu | School/Student Health Service | HONOLULU COMMUNITY ACTION | HONOLULU | 1109 MAUNAKEA ST, 2ND FLOOR |
| Honolulu | School/Student Health Service | KAMEHAMEHA SCHOOLS HALE OLA | HONOLULU | 1887 MAKUAKANE STREET |





| Honolulu | School/Student Health Service | UNIVERSITY HEALTH SERVICES LAB | HONOLULU | 1710 EAST WEST ROAD |
|----------|--|----------------------------------|------------|------------------------------------|
| Honolulu | School/Student Health Service | BYU - HAWAII HEALTH CTR | LAIE | 55-220 KULANUI ST, BYU BOX 1728 |
| Honolulu | School/Student Health Service | LEEWARD COMMUNITY COLLEGE | PEARL CITY | 96-045 ALA IKE ST |
| Honolulu | School/Student Health Service | HAWAII JOB CORPS - WAIMANALO | WAIMANALO | 41-467 HIHIMANU ST |
| Honolulu | Skilled Nursing/Nursing Facility | AIEA HEIGHTS SENIOR LIVING | AIEA | 99-1657 AIEA HEIGHTS DR |
| Honolulu | Skilled Nursing/Nursing Facility | AIEA SRSP | AIEA | 98-839 KAAMILO ST |
| Honolulu | Skilled Nursing/Nursing Facility | PEDIAHEALTH CORP KULANA MALAMA | EWA BEACH | 91-1360 KARAYAN ST |
| Honolulu | Skilled Nursing/Nursing Facility | 15 CRAIGSIDE | HONOLULU | 15 CRAIGSIDE PLACE |
| Honolulu | Skilled Nursing/Nursing Facility | ARCADIA SKILLED NURSING FACILITY | HONOLULU | 1434 PUNAHOU |
| Honolulu | Skilled Nursing/Nursing Facility | AVALON CARE CENTER HONOLULU LLC | HONOLULU | 1930 KAM IV ROAD |
| Honolulu | Skilled Nursing/Nursing Facility | CARE CENTER OF HONOLULU, THE | HONOLULU | 1900 BACHELOT STREET |
| Honolulu | Skilled Nursing/Nursing Facility | HALE HO ALOHA, SNF/ICF | HONOLULU | 2670 PACIFIC HEIGHTS RD |
| Honolulu | Skilled Nursing/Nursing Facility | HALE MALAMALAMA | HONOLULU | 6163 SUMMER ST |





| Honolulu | Skilled Nursing/Nursing Facility | HALE NANI REHABILITATION & NURSING CTR | HONOLULU | 1677 PENSACOLA STREET |
|----------|--|--|----------|--------------------------------|
| Honolulu | Skilled Nursing/Nursing Facility | HALE OLA KINO | HONOLULU | 1314 KALAKAUA AVE 2ND FLOOR |
| Honolulu | Skilled Nursing/Nursing Facility | HAWAII KAI RETIREMENT & | HONOLULU | 428 KAWAIHAE ST |
| Honolulu | Skilled Nursing/Nursing Facility | HI'OLANI CARE CENTER AT KAHALA NUI | HONOLULU | 4389 MALIA STREET |
| Honolulu | Skilled Nursing/Nursing Facility | ISLAND NURSING HOME | HONOLULU | 1205 ALEXANDER ST |
| Honolulu | Skilled Nursing/Nursing Facility | LILIHA KUPUNA SNF LLC | HONOLULU | 2230 LILIHA ST |
| Honolulu | Skilled Nursing/Nursing Facility | MALUHIA | HONOLULU | 1027 HALA DRIVE |
| Honolulu | Skilled Nursing/Nursing Facility | MALUHIA LTC LABORATORY | HONOLULU | 1027 HALA DR |
| Honolulu | Skilled Nursing/Nursing Facility | MAUNALANI NURSING & REHABILITATION CTR | HONOLULU | 5113 MAUNALANI CIRCLE |
| Honolulu | Skilled Nursing/Nursing Facility | NUUANU HALE | HONOLULU | 2900 PALI HIGHWAY |
| Honolulu | Skilled Nursing/Nursing Facility | OAHU CARE FACILITY | HONOLULU | 1808 S BERETANIA ST |
| Honolulu | Skilled Nursing/Nursing Facility | PALOLO CHINESE HOME | HONOLULU | 2459 10TH AVENUE |





| Honolulu | Skilled Nursing/Nursing Facility | ALOHA NURSING & REHAB CENTRE | KANEOHE | 45-545 KAMEHAMEHA HWY |
|----------|--|--|------------|-----------------------------|
| Honolulu | Skilled Nursing/Nursing Facility | ANN PEARL NURSING FACILITY | KANEOHE | 45-181 WAIKALUA RD |
| Honolulu | Skilled Nursing/Nursing Facility | HARRY & JEANETTE WEINBERG CARE CNTR AT POHAI NANI | KANEOHE | 45-090 NAMOKU STREET |
| Honolulu | Skilled Nursing/Nursing Facility | KANEOHE SRSP | KANEOHE | 45-710 KEAAHALA RD |
| Honolulu | Skilled Nursing/Nursing Facility | KA PUNA WAI OLA | KAPOLEI | 91-575 FARRINGTON HWY |
| Honolulu | Skilled Nursing/Nursing Facility | PEARL CITY NURSING HOME | PEARL CITY | 919 LEHUA AVE |
| Honolulu | Skilled Nursing/Nursing Facility | PEARL CITY SRSP | PEARL CITY | 1668 HO'OHULU ST |
| Honolulu | Skilled Nursing/Nursing Facility | PU'UWAI 'O MAKAHA | WAIANAE | 84-390 JADE |
| Kauai | Community Clinic | EAST KAUAI WALK-IN CLINIC | KAPAA | 4800-D KAWAIHAU RD |
| Kauai | Community Clinic | KAUAI DISTRICT HEALTH OFFICE STD/AIDS PREV PRGM | KAPAA | 3040 UMI STREET |
| Kauai | Community Clinic | CONSTANTE J FLORA, MD | LIHUE | 4366 KUKUI GROVE ST #202 |
| Kauai | Community Clinic | KAUAI CBOC | LIHUE | 4485 PAHEE STREET #150 |
| Kauai | Community Clinic | HO'OLA LAHUI HAWAII WEST | WAIMEA | 4643-B WAIMEA CANYON DR |
| Kauai | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | LIHUE | 3224 ELUA ST |
| Kauai | End Stage Renal Disease Dialysis | ST FRANCIS MEDICAL CENTERS | LIHUE | 3224 A ELUA STREET |





| Kauai | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | WAIMEA | 4643A WAIMEA CANYON RD |
|-------|--|---|---------|--------------------------------------|
| Kauai | Federally Qualified Health Center | KAUAI COMMUNITY HLTH CNTR/ HO'OLA LAHUI HAWAII | KAPAA | 4800 D KAWAIHAU ROAD |
| Kauai | Home Health Agency | BCP INC DBA BAYADA HOME HEALTH CARE INC | LIHUE | 3083 AKAHI ST SUITE 101 |
| Kauai | Home Health Agency | HAWAII HEALTHCARE PROFESSIONALS | LIHUE | 4370 KUKUI GROVE ST, #202 |
| Kauai | Home Health Agency | INTERIM HEALTHCARE / KAUAI | LIHUE | 4370 KUKAI GROVE STREET SUITE 202 |
| Kauai | Home Health Agency | STAY AT HOME HEALTHCARE SERVICES LLC | LIHUE | 3-3367 KUHIO HIGHWAY SUITE 1 |
| Kauai | Hospital | MAHELONA MEDICAL CENTER | KAPAA | 4800 KAWAIHAU RD |
| Kauai | Hospital | CLINICAL LABS OF HAWAII-WILCOX HOSP | LIHUE | 3-3420 KUHIO HWY |
| Kauai | Hospital | KAUAI VETERANS MEMORIAL HOSPITAL | WAIMEA | 4643 WAIMEA CANYON DRIVE |
| Kauai | School/Student Health Service | KAUAI COMMUNITY COLLEGE | LIHUE | 3-1901 KAUMUALII HWY |
| Kauai | Skilled Nursing/Nursing Facility | HALE KUPUNA HERITAGE HOME | KOLOA | 4297A OMAO RD |
| Kauai | Skilled Nursing/Nursing Facility | GARDEN ISLE HEALTHCARE, LLC | LIHUE | 3-3420 KUHIO HWY, SUITE 300 |
| Kauai | Skilled Nursing/Nursing Facility | KAUAI CARE CENTER | WAIMEA | 9611 WAENA RD |
| Maui | Ambulatory Surgery Center | ALOHA SURGICAL CENTER, LP | KAHULUI | 239 HOOHANA ST |
| Maui | Ambulatory Surgery Center | KAISER PERMANENTE WAILUKU MED OFFICE ASC | WAILUKU | 80 MAHALANI ST |
| Maui | Community Clinic | HUI NO KE OLA PONO, INC | HANA | PO BOX 189, OLD HANA SCHOOL |
| Maui | Community Clinic | MAUI CBOC | KAHULUI | 203 HO OHANA ST STE303 |
| Maui | Community Clinic | PLANNED PARENTHOOD OF HAWAII | KAHULUI | 140 HOOHANA ST, STE 303 |
| B. | | | | |





| Maui | Community Clinic | MOLOKAI GENERAL HOSPITAL RURAL HLTH CLINIC | KAUNAKAKAI | 280 HOME OLU PLACE |
|------|--------------------------------------|--|------------|---------------------------------|
| Maui | Community Clinic | NA PU'UWAI, INC | KAUNAKAKAI | 604 MAUNA LOA HWY #C |
| Maui | Community Clinic | KE OLA HOU O LANAI /NA PUUWAI | LANAI CITY | 730 LANAI AVE SUITE 122 |
| Maui | Community Clinic | MALAMA I KE OLA HEALTH CENTER | WAILUKU | 1881 NANI ST. |
| Maui | Community Clinic | MALAMA NA MAKUAHINE / IMUA REHAB | WAILUKU | 1063 LOWER MAIN STREET #C212 |
| Maui | Community Clinic | PACIFIC RENAL CARE FOUNDATION | WAILUKU | 105 MAUI LANI PARKWAY #100 |
| Maui | Community Clinic | WAILUKU HEALTH CENTER STD/AIDS PREVENTION PRGM | WAILUKU | 121 MAHALANI ST STE 104 |
| Maui | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | KAUNAKAKAI | 28 KAMOI ST SUITE 400 |
| Maui | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | LAHAINA | 10 HOOHUI RD SUITE 100 |
| Maui | End Stage Renal Disease Dialysis | RAINBOW DIALYSIS LAHAINA | LAHAINA | 315 KEAWE ST SUITE 503 |
| Maui | End Stage Renal Disease Dialysis | FMC-LANAI COMMUNITY DIALYSIS | LANAI CITY | 628 7TH ST |
| Maui | End Stage Renal Disease Dialysis | LIBERTY DIALYSIS HAWAII LLC | WAILUKU | 105 MAUI LANI PARKWAY |
| Maui | End Stage Renal Disease Dialysis | RAINBOW DIALYSIS WAILUKU | WAILUKU | 80 MAHALANI ST STE 100 |
| Maui | End Stage Renal Disease Dialysis | MAUI MEMORIAL MEDICAL CENTER DIALYSIS UNIT | WAILUKU | 221 MAHALANI STREET |
| Maui | Federally Qualified Health Center | HANA COMMUNITY HEALTH CENTER | HANA | 4590 HANA HWY |
| Maui | Federally Qualified Health Center | MOLOKAI OHANA HEALTH CARE INC | KAUNAKAKAI | 30 OKI PLACE |
| Maui | Federally Qualified Health Center | LANAI COMMUNITY HEALTH CENTER | LANAI CITY | 478 LAUHALA PL |
| Maui | Home Health Agency | INTERIM HEALTHCARE / MAUI | KIHEI | 380 HUKU LII PLACE SUITE 102 |
| Maui | Home Health Agency | BCP INC DBA BAYADA HOME HEALTH CARE | WAILUKU | 2200 MAIN ST SUITE 650 |





| Maui | Home Health Agency | HALE MAKUA HOME HEALTH CARE AGENCY | WAILUKU | 1520 E MAIN ST |
|------|--|---|------------|---------------------------|
| Maui | Home Health Agency | KAISER PERMANENTE HHA - MAUI | WAILUKU | 55 MAUI LANI PARKWAY |
| Maui | Hospital | DIAGNOSTIC LABORATORY SERVICES - MOLOKAI | KAUNAKAKAI | 280 HOMEOLU |
| Maui | Hospital | LANAI COMMUNITY HOSPITAL LAB | LANAI CITY | 728 7TH STREET |
| Maui | Hospital | CLINICAL LABS OF HAWAII-MAUI MEM HOSP | WAILUKU | 221 MAHALANI STREET |
| Maui | Hospital | MMMC DECENTRALIZED POCT | WAILUKU | 221 MAHALANI ST |
| Maui | School/Student Health Service | MAUI COMMUNITY COLLEGE | KAHULUI | 310 KAAHUMANU AVE |
| Maui | School/Student Health Service | UNIV OF HAWAII MAUI COLLEGE CAMPUS HEALTH CNTR | KAHULUI | 310 KAAHUMANU AVE #202 |
| Maui | School/Student Health Service | HAWAII JOB CORPS CENTER - MAUI | MAKAWAO | 500 IKE DR |
| Maui | School/Student Health Service | KAMEHAMEHA SCHOOLS MAUI CAMPUS | MAKAWAO | 270 'A'APUEO PARKWAY |
| Maui | Skilled Nursing/Nursing Facility | HALE MAKUA SNF ICF | KAHULUI | 472 KAULANA STREET |
| Maui | Skilled Nursing/Nursing Facility | KULA HOSPITAL - NURSING | KULA | 100 KEOKEA PL |
| Maui | Skilled Nursing/Nursing Facility | HALE MAKUA ICF | WAILUKU | 1540 LOWER MAIN STREET |

Additional Community Resources

To find more community resources, please visit the Aloha United Way 211 site: http://www.auw211.org/



